



제 2012 - 27282 호

안 전 인 증 서

(사업장명)

극동호이스트(주)

(소재지) 제425-833 경기도 안산시 성곡동 630-2 반월공단 B-607-14

위 사업장에서 제조하는 아래의 품목이 산업안전보건법 제34조 및 같은 법 시행규칙 제58조의4제4항에 따른 안전인증 심사 결과 안전·보건기준에 적합하므로 안전인증표시의 사용을 인증합니다.


_____ 품 목 _____
호이스트

_____ 형식,모델(용량,등급)/인증번호 _____
KD2.8 (2.8Ton) /12-AQ2AC-03173

_____ 인 증 기 준 _____
고용노동부 고시 제2011 - 39호 (위험기계,기구 의무안전인증 고시)

_____ 인 증 조 건 _____

2012년 08월 10일



한국산업안전보건공단이사장



심사결과 통지서

신청인	사업장명	극동호이스트(주)	사업장관리번호	134-81-013350
	사업자등록번호	134-81-01335	대표자 성명	최성찬
	소재지 (425 - 833) 경기도 안산시 성곡동630-2 반월공단 B-607-14			
안전인증대상 기계·기구명				
호이스트				
형식 (규격)		KD2.8	용량 (등급)	2.8 Ton

산업안전보건법 제 34조 및 같은 법 시행규칙 제58조의4에 따라 실시한

[] 예비심사

[√] 서면심사

[] 기술능력 및 생산체계 심사

[] 개별 제품심사

[] 개별 제품심사(제작중)

[] 형식별 제품심사

결과가 [√] 적 합

[] 부적합

합을 통지합니다.

2012년 06월 26일

인증심사원

강성두 변명수

(서명 또는 인)

한국산업안전보건공단 경기서부지도원장



서 면 심 사 서 류

형식 번호 : KD2.8


극 동 호 이 스트 (주)

工場 : 경기도 안산시 단원구 성곡동 630-2 반월공단607-14

電話 : 031) 491 - 5311

FAX : 031) 494 - 5315

192.168.11.38 / 2012-06-27 11:35:02




한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

동 일 형 식 일 람 표

구분	정식	모델	양정(M)	권상속도(M/MIN)	내역	실행방식	비고	
정식		KD2.8-L6-M	6	9.0	모터구동식	모터구동식		
		KD2.8-L9-M	9					
		KD2.8-L12-M	12					
		KD2.8-L18-M	18					
		KD2.8-L24-M	24					
		KD2.8-L30-M	30					
		KD2.8-L36-M	36					
		KD2.8-L18-M-H	18					
		KD2.8-L24-M-H	24					
		KD2.8-L30-M-H	30					
		KD2.8-L36-M-H	36					
		KD2.8-L6-S	6	4.5	정치식	정치식		
		KD2.8-L9-S	9					
		KD2.8-L12-S	12					
		KD2.8-L18-S	18					
		KD2.8-L24-S	24					
		KD2.8-L30-S	30					
		KD2.8-L36-S	36					
		KD2.8-L6-P	6		수동구동식	수동구동식		
		KD2.8-L9-P	9					
		KD2.8-L12-P	12					
		KDC2.8-L6-M	6	9.0/0.9	모터구동식	모터구동식		
		KDC2.8-L9-M	9					
		KDC2.8-L12-M	12					
		KDC2.8-L18-M	18					
		KDC2.8-L24-M	24					
		KDC2.8-L30-M	30					
		KDC2.8-L36-M	36					
		KDC2.8-L18-M-H	18					
		KDC2.8-L24-M-H	24					
		KDC2.8-L30-M-H	30					
		KDC2.8-L36-M-H	36					
		KDC2.8-L6-S	6		정치식	정치식		
		KDC2.8-L9-S	9					
		KDC2.8-L12-S	12					
		KDC2.8-L18-S	18					
		KDC2.8-L24-S	24					
		KDC2.8-L30-S	30					
		KDC2.8-L36-S	36					
		KDC2.8-L6-P	6		수동구동식	수동구동식		
		KDC2.8-L9-P	9					
		KDC2.8-L12-P	12					

192.168.11.38 / 2016-06-27 11:35:02

한국산업안전보건공단


Korea Occupational Safety & Health Agency

KD2.8

192.168.11.38 / 2012-06-27 11:35:02



한국산업안전보건공단


192.168.11.38 / 2012-06-27 11:35:02



192.168.11.38 / 2012-06-27 11:35:02


한국산업인력공단







192.168.11.38 / 2012-06-27 11:35:02


한국산업인력공단



5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

[illegible]

[illegible]

[illegible]

ELECTRICAL SPECIFICATION

POWER SOURCE : AC 3Φ 220V, 380V, 440V, 460V, 480V 60Hz

CONTROL SOURCE : AC 1Φ 110V(120V) 60Hz


OBJECT	MOTOR OUTPUT	220V		380V		440V	460V	480V	440, 460, 480V	BRAKE	REMARK
		STATOR CURRENT	1st CABLE SIZE	STATOR CURRENT	1st CABLE SIZE	STATOR CURRENT	STATOR CURRENT	STATOR CURRENT	1st CABLE SIZE		
MAIN HOIST	5.0KW x 4P 30 MIN	22.80 A	6.0 sq	12.20 A	6.0 sq	10.5 A	10.0 A	9.6 A	6.0 sq	DC MAG. BRAKE	
CREEP HOIST	1.5KW x 4P 30 MIN	7.30 A	4.0 sq	4.20 A	4.0 sq	3.7 A	3.5 A	3.4 A	4.0 sq	DC MAG. BRAKE	
CONTROL CIRCUIT		2 A	2.5 sq	2 A	2.5 sq	2 A	2 A	2 A	2.5 sq		
LIGHTING & ACC'Y CIRCUIT											
SUB TOTAL (PEAK LOAD)	HIGH	24.80 A	6.0 sq	14.20 A	6.0 sq	12.50 A	12.00 A	11.60 A	6.0 sq	I(A)=M/H + T/S + ASS'Y	
SUB TOTAL (NORMAL LOAD)	LOW	9.30 A	4.0 sq	6.20 A	4.0 sq	5.70 A	5.50 A	5.40 A	4.0 sq	I(A)=M/H + T/S + ASS'Y	

*. 위 계산은 HIGH(MAX.)일때와 LOW(MIN.)일때만 계산한것임.

*. 위 계산은 LIFT 6,9,12,18,24,30,36M에 적용.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ADR'S NO.																			
A4																			

* MAIN POWER : AC 3PH 220V,380V,440V,480V 60Hz (LIFT 6.9,12,18,24,30,36M)



본 도면은 EARTH를 명기하기 위한 도면으로서
실제 배치와 다를 수 있으며 HOIST 본체와의
EARTH용 CABLE은 REFERENCE임

*3중 접지공사 100Ω 이하 (AC 3PH 400V 미만)
*4중 접지공사 10Ω 이하 (AC 3PH 400V 이상)

동전위접지

1. 전기장비와 기계의 노출된 모든 도전부는 보호본딩회로에 연결되어야 하며 적절한 접지연속성 기능이 유지되어야 함.
2. 보호본딩회로에는 기계기, 과전류보호장치가 부착되지 않아야 한다.

NO	TYPE	CABLE		REMARK
		SIZE	TYPE	
1	VCT	6sq	440V,460V,480V	HOISTING MOTOR WITH EARTH
2	VCT	4.0sq	6.0sq	CREEP MOTOR WITH EARTH
3	VFCT	6sq	6.0sq	MAIN POWER WITH EARTH

시험대상 전선의 최소 유효단면적	최고전압강하(V)
1.0	3.3
1.5	2.6
2.5	1.6
4.0	1.4
>6.0	1.0


△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

192.168.11.38 / 2012-06-27 11:35:02

한국산업안전보건공단

192.168.11.38 / 2012-06-27 11:35:02

국립 호이스스
제한하용
2800K



1. 전기장비와 기계의 노출된 모든 도전부는 보호봉인회로에 연결되어야 하며 적절한 접지연속성 기능이 유지되어야 함.
2. 보호봉인회로에는 계전기, 과전류보호장치가 부착되지 않아야 함.

NO	CABLE					REMARK
	TYPE	SIZE		TYPE	SIZE	
		220V	380V	440V	460V, 480V	
1	HOIST	VCT	6.0sq	6.0sq	4.0sq	HOIST MOTOR WITH EARTH
2	CREEP	VCT	4.0sq	4.0sq	VCT	CREEP MOTOR WITH EARTH
3	MAIN	VFCT	6.0sq	6.0sq	VFCT	MAIN POWER WITH EARTH

시험대상 전선의 피스 유효단면적	최고전압강하(V)
1.0	3.3
1.5	2.6
2.5	1.6
4.0	1.4
>6.0	1.0

☒						
☒						
☒						
☒						
DATE	MK	REVISIONS			CHK.	APP.
CUSTOMER		KDC2.8-P CABLE 사양				
DRAWING TITLE						
DRAWING	DESIGN	CHECKED	APPROVED	SCALE	DATE	ORDER NO.
				NONE		
 KUK DONG HOIST CO., LTD.						DWG. NO.



3 PHASE INDUCTION MOTOR			
KW	P	TYPE	TENV
VOLTS	V	RATING	min
AMP.S	A	AMP.TEMP	40°C
HEARTS		INS.CLASS	F
R.P.M		BEARING	
ROTOR	C	BEARING	
SERIAL.		DATE	

KUKDONG HOIST CO.,LTD

	3 PHASE INDUCTION MOTOR	
KW	P TYPE	TENV
VOLTS	V RATING	min
AMP'S	A	40C
HEARTS	INS.CLASS	F
R.P.M	BEARING	
	ROTOR	C
	BEARING	
SERIAL	DATE	
KUKDONG HOIST CO., LTD		

[illegible]

* MAIN POWER : AC 3PH 220V,380V,440V,460V,480 60Hz (LIFT 6, 9, 12M)



ELECTRIC WIRE ROPE HOIST	
MODEL	
CAPACITY	Kg
HOIST SPEED	m/min
HOIST MOTOR	Kw
TRAV.SPEED	m/min
TRAV.MOTOR	Kw
WIDTH OF RAIL	mm
DATE	
	RATING
	LIFT
	min
	POWER SOURCE
	V Hz
	AMP.S R&T HOIST
	AMP.S R&T TRAV.
	WIRE ROPE
	Ø
	WEIGHT
	Kg
	SERIAL

3 PHASE INDUCTION MOTOR			
KW	P TYPE	TENV	
VOLTS	V RATING		min
AMP. S	A AMP. TEMP		40°C
HEARTS	INS. CLASS		F
R.P.M	BEARING		
ROTOR	BEARING		
SERIAL	DATE		
KUKDONG HOIST CO.,LTD			

KUKDONG		3 PHASE INDUCTION MOTOR	
KW	P TYPE	TENV	
VOLTS	V RATING		min
AMP. S	A AMP. TEMP		40°C
HEARTS	INS. CLASS		F
R.P.M.	BEARING		
	ROTOR C		
	BEARING		
SERIAL	DATE		
KUKDONG HOIST CO., LTD			

[illegible]

NO	DESCRIPTION	CABLE SIZE
1	MAIN EARTH LINE	USER SCOPE
2	HOIST POWER SOURCE WITH EARTH	VCTF 8.0SD x 1C
3	HOISTING MOTOR WITH EARTH	VCT 6.0SD x 1C
4	CREEP MOTOR WITH EARTH	VCT 4.0SD x 1C

* CV CABLE 4C중 1C는 EARTH로 사용함.

- NOTE -

- 전동기 외함, 제어반의 프레임 등은 접지하여
그 접지 저항은
400V 미만 : 100옴 이하일것.(3중 접지)
400V 이상 : 10옴을 이하일것.(복 3중접지)
- MAIN S/W BOX는 3중 접지 요.


동전위접지

1. 전기장비와 기계의 노출된 모든 도전부는 보호접지회로에 연결되어야 하며
적절한 접지연속성 기능이 유지되어야함.

2. 보호접지회로에는 개폐기, 과전류보호장치가 부착되지 않아야 한다.

시험대상 전선의 최소 유효단면적	최고전압강하(V)
1.0	3.3
1.5	2.6
2.5	1.6
4.0	1.4
>6.0	1.0

----- USER SCOPE
----- KUKDONG SCOPE



△																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

The diagram illustrates a motor control system with two main components: a MAIN BOX and a HOIST BOX.

MAIN BOX:

- Input lines are labeled E, RO, SO, and TO.
- A switch assembly includes R1, S1, and T1.
- A MCCB100 (Molded Case Circuit Breaker) is shown.
- A motor M1 is connected to the output lines.

HOIST BOX:

- Contains a transformer TR10 (100VA) with primary terminals T1 and T2, and secondary terminals S1 and S2.
- Fuses F11 and F12 are on the primary side, and F13 is on the secondary side.
- A switch assembly includes S1 and S2.
- A control circuit is connected to the secondary terminals S1 and S2, labeled "CONTROL CABLE / H1V or K1V 2.5sq".
- The control circuit is connected to a terminal labeled E.
- Output lines from the HOIST BOX are labeled (A5/02) and (A5/02).

Other Components:

- A switch assembly at the bottom is labeled NFB and OWNER SCOPE.
- The diagram is labeled "TO: CONTROL CIRCUIT" at the top.

특 3종점지 공사(400V 이상전압 : 10 OHM 이하)

1. 전신의 색상은 다음과 같다.

 - 1) 육색 : 교루색, 자루전원신
 - 2) 적색 : 교루색이신
 - 3) 청색 : 자루색이신
 - 4) 누색 또는 누색과 황색 혼합 : 전지

2. 표시등의 색상은 다음과 같다.

 - 1) 적색 : 비상
 - 2) 황색 : 비정상
 - 3) 누색 : 정상
 - 4) 청색 : 의무
 - 5) 흰색 : 중립

SELECTION	VOLTAGE	F1 F2	F13	MCCB100	TR10
	220V	2A	3A	53AF/40AT	220/110,120V 100VA
	380V	1A	3A	33AF/20AT	380/110,120V 100VA
	440V	1A	3A	33AF/20AT	440/110,120V 100VA
	460V	1A	3A	33AF/20AT	460/110,120V 100VA
	480V	1A	3A	33AF/20AT	480/110,120V 100VA

[illegible]

직접 전속 방호가 되어있을것.


192.168.11.38 / 2012-06-27 11:35:02

11	12	13	14	15	16	17	18	19	20
ADR'S NO.									


NO	DESCRIPTION	SPECIFICATION	Q'TY	REMARK
1	CHASSIS PLATE		1	아 연 도 록
2	CABLE DUCT	-	1	
3	MCCB100	53AF/40AT	1	HOISTING
4	MAGNET CONTACT	DMC48C	2	HOISTING
5	MAGNET CONTACT	DMC22C	2	CREEP HOIST
6	SILICON RECTIFIER	SR-30	1	HOISTING
7	SILICON RECTIFIER	SR-30	1	CREEP HOIST
8	E.O.C.R	SS-30	1	HOISTING
9	E.O.C.R	SS-05	1	CREEP HOIST
10	FUSE F11,F12	2 A	2	
11	FUSE F13	3 A	1	
12	TRANSFORMER	220V/110V,120V, 100VA	1	
13	UPPER LIMITER	AC 600V, 75A	1	LS-1,2
14	TERMINAL BLOCK	60A,15A		
15	EARTH TERMINAL	3x20x50	1	

NOTE 1. 전선의 색상은 다음과 같다.


- 1) 흑색 : 교류 및 직류전원선
 - 2) 적색 : 교류제어선
 - 3) 청색 : 직류제어선
 - 4) 녹색 또는 노색과 노랑 혼용 : 접지선
2. CABLE MATERIAL : KIV OR EQUIVALENT
MIN SIZE : 2.5sq
3. 제어용 전선 : 2.5mm KIV,HIV
4. 제라시 다소 변경 필수있음.
5. 외함 기방구조는 다음과 같을것.
- 1) 외함 기방시 중전부분이 차단되도록 할것.
- 2) 외함 기방후 중전되어있는 부분은 IP2X 이상의 직접 접촉 방호가 되어있을것



NOTE
1. UPPER LIMIT LS-1,LS-2의 접점 허용 전류 용량 : AC 600V, 75A
2. POWER SOURCE : AC 3φ 220V 60HZ
3. M.L * OWNER SCOPE (CRANE 용 HOIST 제작시)
* MAKER SCOPE (MONORAIL 용 HOIST 제작시)



DRAWING	DESIGN	CHECKED	APPROVED	SCALE	DATE	ORDER NO.
				NONE		
극동호이스트 주식회사 KUK DONG HOIST CO., LTD.						KDC02BA21
CREEP HOIST CONTROL BOX						
ARRANGEMENT DRAWING						
DATE	REVISIONS	CHK.	APP.			



11	12	13	14	15	16	17	18	19	20
ADR'S NO.									

NO	DESCRIPTION	SPECIFICATION	Q'TY	REMARK
1	CHASSIS PLATE		1	아 연 도 플
2	CABLE DUCT	-	1	
3	MCCB100	33AF/20AT	1	HOISTING
4	MAGNET CONTACT	DMC22C	2	HOISTING
5	MAGNET CONTACT	DMC22C	2	CREEP HOIST
6	SILICON RECTIFIER	SR-30	1	HOISTING
7	SILICON RECTIFIER	SR-30	1	CREEP HOIST
8	E.O.C.R	SS-30	1	HOISTING
9	E.O.C.R	SS-05	1	CREEP HOIST
10	FUSE F11,F12	1 A	2	
11	FUSE F13	3 A	1	
12	TRANSFORMER	380V/110V,120V 100VA	1	
13	UPPER LIMITER	AC 600V, 75A	1	LS-1,2
14	TERMINAL BLOCK	60A,15A		
15	EARTH TERMINAL	3tx20x50	1	

NOTE 1. 전선의 색상은 다음과 같다.

- 1) 흑색 : 교류 및 직류전원선
- 2) 적색 : 교류제어선
- 3) 청색 : 직류제어선
- 4) 녹색 또는 녹색과 노랑 혼용 : 접지선

2. CABLE MATERIAL : KIV OR EQUIVALENT


3. 제어용 전선 : 2.5mm KIV,HIV
MIN SIZE : 2.5sq

4. 제어시 다스 변경 필수있음.

5. 외함 개방구조는 다음과 같을것.

1) 외함 개방시 중전부분이 차단되도록 할것.

2) 외함 개방후 충전되어있는 부분은 IP2X 이상의 직접 접촉 방호가 되어있을것.



NOTE

1. UPPER LIMIT LS-1,LS-2의 직접 허용 전류 용량 : AC 600V, 75A


2. POWER SOURCE : AC 3φ 380V 60HZ

3. M1 : OWNER SCOPE (CRANE & HOIST 제작사)
MAKER SCOPE (MONORAIL/용 HOIST 제작사)



▲				CUSTOMER	DRAWING TITLE	DRAWING	DESIGN	CHECKED	APPROVED	SCALE	DATE	ORDER NO.
▲												
▲												
▲				CREEP HOIST CONTROL BOX	ARRANGEMENT DRAWING		국동호이스트 주식회사 KUK DONG HOIST CO., LTD.			NONE		
▲												
▲												
DATE		REVISIONS		CHK.	APP.							
MM	DD											
				KDC02BA31								


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
POWER CIRCUIT										CREEP HOIST MOTION									
HOISTING MOTION										CREEP HOIST MOTION									
MCCB100										MHB									
C20-01										B1									
ADR'S NO.										B1									




SPECIFICATION SYMBOLS	DESCRIPTION	HOISTING POWER	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR	HOISTING MOTOR
2.8TON	AC 3PH 380V 60Hz	5.0KW x 4P	1.5KW x 4P	DC 100V	ABE-33AF/20AT	DC 100V	ABE-33AF/20AT	DC 100V	ABE-33AF/20AT	DC 100V	ABE-33AF/20AT	DC 100V	ABE-33AF/20AT	DC 100V	ABE-33AF/20AT	DC 100V	ABE-33AF/20AT	DC 100V	ABE-33AF/20AT
CREEP HOISTING POWER CONTROL CIRCUIT																			
DIAGRAM																			
KUK DONG HOIST CO., LTD.																			
KDC28E31																			

11	12	13	14	15	16	17	18	19	20
ADP'S NO.									

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----



- NOTE
- UPPER LIMIT LS-1, LS-2의 접점 허용 전류 용량 : AC 600V, 75A
 - POWER SOURCE : AC 3 ϕ 440V 60HZ
 - MAKER OWNER SCOPE (CRANE & HOIST 제작사)
MAKER SCOPE (MONORAIL & HOIST 제작사)



NO	DESCRIPTION	SPECIFICATION	Q'TY	REMARK
1	CHASSIS PLATE		1	아 연 도 플
2	CABLE DUCT	-	1	
3	MCCB100	33AF/20AT	1	HOISTING
4	MAGNET CONTACT	DMC22C	2	HOISTING
5	MAGNET CONTACT	DMC22C	2	CREEP HOIST
6	SILICON RECTIFIER	SR-30	1	HOISTING
7	SILICON RECTIFIER	SR-30	1	CREEP HOIST
8	E.O.C.R	SS-30	1	HOISTING
9	E.O.C.R	SS-05	1	CREEP HOIST
10	FUSE F11,F12	1 A	2	
11	FUSE F13	3 A	1	
12	TRANSFORMER	440V/110V,120V 100VA	1	
13	UPPER LIMITER	AC 600V, 75A	1	LS-1,2
14	TERMINAL BLOCK	60A,15A		
15	EARTH TERMINAL	3tx20x50	1	

NOTE 1. 전선의 색상은 다음과 같다.

- 색 : 교류 및 직류전원선
- 색 : 교류제어선
- 색 : 직류제어선
- 색 또는 색과 노랑 혼용 : 접지선

2. CABLE MATERIAL : KIV OR EQUIVALENT

3. 제어용 전선 : 2.5mm KIV,HIV

4. 제어시 디스 변경 필수있음.

5. 외함 개방구조는 다음과 같을것.

- 외함 개방시 충전부분이 차단되도록 할것.
- 외함 개방후 충전되어있는 부분은 IP2X 이상의 직접 접촉 방호가 되어있을것.

DRAWING	DESIGN	CHECKED	APPROVED	SCALE	DATE	ORDER NO.
				NONE		
KDK KUK DONG HOIST CO., LTD.						KDC02BA41
ARRANGEMENT DRAWING						
CREEP HOIST CONTROL BOX						
CUSTOMER						
DRAWING TITLE						
REVISIONS						
DATE	CHK.	APP.				

한국산업인력보급

11	12	13	14	15	16	17	18	19	20
ADR'S NO.									

NO	DESCRIPTION	SPECIFICATION	Q'TY	REMARK
1	CHASSIS PLATE		1	이 연 도 규
2	CABLE DUCT	-	1	
3	MCCB100	33AF/20AT	1	HOISTING
4	MAGNET CONTACT	DMC22C	2	HOISTING
5	MAGNET CONTACT	DMC22C	2	CREEP HOIST
6	SILICON RECTIFIER	SR-30	1	HOISTING
7	SILICON RECTIFIER	SR-30	1	CREEP HOIST
8	E.O.C.R	SS-30	1	HOISTING
9	E.O.C.R	SS-05	1	CREEP HOIST
10	FUSE F11,F12	1 A	2	
11	FUSE F13	3 A	1	
12	TRANSFORMER	460V/110V,120V 100VA	1	
13	UPPER LIMITER	AC 600V, 75A	1	LS-1,2
14	TERMINAL BLOCK	60A,15A		
15	EARTH TERMINAL	3tx20x50	1	

NOTE 1. 전선의 색상은 다음과 같다.

- 1) 흑색 : 교류 및 직류전선
- 2) 적색 : 교류제어선
- 3) 청색 : 직류제어선
- 4) 녹색 또는 녹색과 노랑 혼용 : 접지선

2. CABLE MATERIAL : KIV OR EQUIVALENT

MIN SIZE : 2.5sq


3. 제어용 전선 : 2.5mm KIV,HIV

4. 제작시 다소 변경 될수있음.

5. 외함 개방구조는 다음과 같을것.

1) 외함 개방시 중전부분이 차단되도록 할것.

2) 외함 개방후 중전되어있는 부분은 IP2X 이상의 직전 접촉 방호가 되어있을것.




NOTE

1. UPPER LIMIT LS-1,LS-2의 원형 허용 전류 용량 : AC 600V, 75A

2. POWER SOURCE : AC 3φ 460V 60HZ

3. MAKE OWNER SCOPE (CRANE & HOIST 제작사)

MAKER SCOPE (MONDRAIL/중 호스트 제작사)



DRAWING		DESIGN	CHECKED	APPROVED	SCALE	DATE	ORDER NO.
CREEP HOIST CONTROL BOX					NONE		
ARRANGEMENT DRAWING							
CUSTOMER		KID			KUK DONG HOIST CO., LTD.		
DRAWING TITLE		극동호이스트 주식회사			DWG. NO		
REVISONS		CHK. APP.			KDC02BA51		
DATE							

POWER CIRCUIT



DONG-A	KURDONG	ASAN	JUNGHO	DONGIL
DRAWING	DESIGN	CHECKED	APPROVED	SCALE
				DATE
				ORDER NO.
		NONE		
 극동호이스트 주식회사 KUIK DONG HOIST CO., LTD.				DWG. NO
				KDC28E55

11	12	13	14	15	16	17	18	19	20
ADR'S NO.									

NO	DESCRIPTION	SPECIFICATION	Q'TY	REMARK
1	CHASSIS PLATE		1	아연 도금
2	CABLE DUCT	--	1	
3	MCCB100	33AF/20AT	1	HOISTING
4	MAGNET CONTACT	DMC22C	2	HOISTING
5	MAGNET CONTACT	DMC22C	2	CREEP HOIST
6	SILICON RECTIFIER	SR-30	1	HOISTING
7	SILICON RECTIFIER	SR-30	1	CREEP HOIST
8	E.O.C.R	SS-30	1	HOISTING
9	E.O.C.R	SS-05	1	CREEP HOIST
10	FUSE F11,F12	1 A	2	
11	FUSE F13	3 A	1	
12	TRANSFORMER	480V/110V,120V 100VA	1	
13	UPPER LIMITER	AC 600V, 75A	1	LS-1,2
14	TERMINAL BLOCK	60A,15A		
15	EARTH TERMINAL	3tx20x50	1	

NOTE 1. 전선의 색상은 다음과 같다.

- 1) 흑색 : 교류 및 직류전원선
- 2) 적색 : 교류제어선
- 3) 청색 : 직류제어선
- 4) 녹색 또는 녹색과 노랑 혼용 : 접지선


2. CABLE MATERIAL : KIV OR EQUIVALENT

MIN SIZE : 2.5sq
3. 제어용 전선 : 2.5mm KIV,HIV

4. 제어시 다소 변경 될수있음.

5. 외함 기방구조는 다음과 같을것.

- 1) 외함 개방시 충전부분이 차단되도록 할것.
- 2) 외함 기방후 충전되어있는 부분은 IP2X 이상의 직접 접촉 방호가 되어있을것.



NOTE

1. UPPER LIMIT LS-1,LS-2의 접점 허용 전류 용량 : AC 600V, 75A

2. POWER SOURCE : AC 3 ϕ 480V 60HZ



DRAWING		DESIGN	CHECKED	APPROVED	SCALE	DATE	ORDER NO.
CREEP HOIST CONTROL BOX					NONE		
ARRANGEMENT DRAWING							
CUSTOMER		국동호이스트 주식회사 KUK DONG HOIST CO., LTD.					
DRAWING TITLE		KDC02BA68					
REVISIONS		DWG. NO					
DATE	CHK.	APP.					

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
POWER CIRCUIT										CREEP HOIST MOTION									
HOISTING MOTION										CREEP HOIST MOTION									

The diagram illustrates the main power and control circuit for three motors (M101, M102, M103). The power supply is connected through a main switch (P) and a fuse (P99). The circuit is divided into three branches, each protected by a fuse (M101, M102, M103) and controlled by a switch (M101, M102, M103). The control circuit includes a load limiter with a buzzer and a terminal block (C.T. "L" C.T. "H").

Terminal Block Legend:

Terminal	Symbol	Value
M101	A	B1/05
M101	A	B1/05
M101	A	B1/05
M101	a	B1/05
M101	a	B1/05
M101	a	B1/05
M101	b	A5/13
M101	b	A5/13

Motor Specifications:

Motor	Upper Limit	Upper Limit P.B.S/W	Load Limiter
M101	LS-1	E.S.B	LDL-100
M102	AC 600V 75A	250V 3A	LDL-100
M103	AC 600V 3A	250V 3A	LDL-100

Customer Information:

CUSTOMER: KUK DONG HOIST CO., LTD.


DRAWING TITLE: MAIN POWER 2 & CONTROL CIRCUIT

REVISIONS: 1

DATE: 2012-06-27

192.168.11.38 / 2012-06-27 11:35:02

PUSH BUTTON SWITCH (KG-H02EA)



NO	SYMBOL	TYPE	SPEC.	COLOR
1	E.B.S	PUSH LOCK TURN RESET TYPE	250VAC x 6A	RED
2	SPARE			
3	UP	PUSH BUTTON 2STEP		BLACK
4	DOWN	PUSH BUTTON 2STEP		
5	보조 WIRE	ø 2.0		

* MATERIAL : POLYCARBOBATE(PLASTIC)

* BODY COLOR : YELLOW, BLACK




* 1P : 550 이상

구분	표시등
작성	비상
작성	비경상
작성	정상
작성	이무
작성	기타

NO	DESCRIPTION	MATERIAL	QTY	SIZE	UNIT WEIGHT (KG)		REMARK
					UNIT	TOTAL	
Scale Projection	MS 3 ANGLES	DWG. K.M.S90	CHK.	APP.	PUSH BUTTON SWITCH & EMERGENCY BUTTON SWITCH		
Mass	kg						
					KG-H02ECA		
 KUK DONG HOIST CO., LTD.					DWG No.		

I-4. I-BEAM의 고정방법 및 사양


1. I-BEAM의 고정방법

용접구조	BOLT 체결구조	복합구조
	 H/T BOLT 4 SET	 H/T BOLT 4 SET


2. 기본조건 및 사양

- * 동하중에 의한 용접이음의 허용응력 (필릿용접 효율 80% 포함) : 560 kg/cm²
- * H/T BOLT의 허용 인장응력 : 2500kg/cm²

정격하중 (TON)	용접구조 (mm)		BOLT 체결구조
	용접두께	최소 용접길이	최소 BOLT SIZE
1.0	6	100 × 2개소	M12 × 4 SET
2.0	6	125 × 2개소	M12 × 4 SET
⇒ 2.8	6	125 × 2개소	M12 × 4 SET
3.0	6	125 × 2개소	M12 × 4 SET
5.0	8	150 × 2개소	M16 × 4 SET



192.168.11.38 / 2012-06-27 11:35:02




한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

3. I-BEAM의 연결방법



구조 (단위 : mm)

- * I-BEAM의 용접 연결부위는 I-BEAM 고정 지점과 동일 선상에 위치하지 않도록 한다.
- * 고정 지점 사이 중앙에 용접 연결부위가 일치하지 않도록 한다.



사용 I-BEAM	A	H	H/2	최대 지지거리				
				1 T	2 T	2.8 T	3 T	5 T
200×100×t7/10	200	200	100	4000				
250×125×t7.5/12.5	200	250	125	6000	4400	3700	3600	
300×150×t10/18.5	300	300	150	9000	6800	5800	5800	4500
350×150×t9/15	300	350	175	9800	7500	6300	6000	5900
400×150×t10/18	300	400	200	12600	9400	8000	7700	5700
450×175×t11/20	300	450	225		11000	10000	9900	7700

단, 사용 I-BEAM은 MODEL별 기술사항서의 BEAM 폭을 참조 할 것

192.168.11.38 / 2012-06-27

한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

* I-BEAM 고정 방법 중 용접 구조의 용접 강도

$$\text{용접부 강도 } \sigma = 1.14 \times \frac{\text{I-BEAM 자중} + 1.25 \times (\text{정격하중} + \text{Hoist 자중})}{0.707 \times \text{용접 두께} \times \text{용접 길이}} \leq 560 \text{ kg/cm}^2$$



I-BEAM 규격	BEAM 자중 (kg/m)	용접 두께 (cm)	최소 용접 길이 (cm)	1 T		2 T		2.8 T		3 T		5 T	
				HOIST 자중 (KG)	용접강도 (kg/cm ²)	HOIST 자중 (KG)	용접강도 (kg/cm ²)	HOIST 자중 (KG)	용접강도 (kg/cm ²)	HOIST 자중 (KG)	용접강도 (kg/cm ²)	HOIST 자중 (KG)	용접강도 (kg/cm ²)
200×100×17/10	26.0	0.6	10×2	320	225.2								
250×125×17.5/12.5	38.3	0.6	12.5×2	320	181.5	520	342.7	620	463.7	620	490.5		
300×150×19/13.5	65.6	0.6	15.0×2	320	153.7	520	288.1	620	388.8	620	411.2	642	478.2
350×150×19/15	58.5	0.6	15.0×2	320	153.0	520	287.4	620	388.2	620	410.6	642	477.8
400×150×19/18	72.0	0.8	15.0×2	320	115.7	520	288.6	620	389.4	620	411.8	642	478.7
450×175×11/20	91.7	0.8	17.5×2			520	290.4	620	391.2	620	354.5	642	480.0

단, 사용 I-BEAM은 MODEL 별 기술 사양서의 BEAM 폭을 참조 함 것




* I-BEAM 고정 방법 중 BOLT 고정 강도

$$\text{BOLT 강도 } \sigma = 1.14 \frac{\text{I-BEAM자중} + 1.25 \times (\text{정격하중} + \text{Hoist자중})}{\text{BOLT 단면적} \times \text{BOLT 수}} \leq 2500 \text{ kg/cm}^2$$



I-BEAM 규격	BEAM 자중 (kg/m)	BOLT 규격	BOLT 수	BOLT 단면적 (cm ²)	1 T		2 T		2.5 T		3 T		5 T	
					HOIST 자중(KG)	BOLT강도 (kg/cm ²)	HOIST 자중(KG)	BOLT강도 (kg/cm ²)	HOIST 자중(KG)	BOLT강도 (kg/cm ²)	HOIST 자중(KG)	BOLT강도 (kg/cm ²)	HOIST 자중(KG)	BOLT강도 (kg/cm ²)
200×100×17/10	26.0	M12	4	1.13	320	422.7								
250×125×17.5/12.5	38.3	M12	4	1.13	320	425.8	520	804.1	620	1087.9	620	1150.9		
300×150×19/13.5	65.6	M12	4	1.13	320	432.7	520	811.0	620	1094.8	620	1157.8	642	1009.3
350×150×19/15	58.5	M12	4	1.13	320	430.9	520	809.2	620	1093.0	620	1156.0	642	1008.3
400×150×19/18	72.0	M16	4	2.01	320	244.2	520	456.9	620	616.4	620	651.8	642	1010.2
450×175×11/20	91.7	M16	4	2.01			520	459.6	620	619.2	620	654.6	642	1013.0



192.168.11.38 / 2012-06-27 11:35:02

I-5. I-BEAM의 최대 지지거리

5-1. 굽힘 MOMENT 계산

1. 수직하중에 의한 굽힘 MOMENT

$$\text{BEAM 자중에 의한 MOMENT : } M_s = \frac{M \times \text{I-BEAM 자중} \times (\text{지지거리})^2}{8} \quad \text{kg-cm}$$

$$M_s = \frac{1.05 \times 38.3 \times 370^2}{8} = 6882 \quad \text{kg-cm}$$

$$\text{이동하중에 의한 MOMENT : } M_d = F \times \frac{(\text{정격하중} + \text{호이스트 자중}) \times \text{지지거리}}{4} \quad \text{kg-cm}$$

$$M_d = 1.254 \times \frac{(2800 + 620) \times 370}{4} = 396703 \quad \text{kg-cm}$$

$$\text{* 호이스트 자중} = 620 \text{ KG} \quad \text{용량} : 2800 \text{ KG}$$

$$\text{* DYNAMIC COEFFICIENT : } F = 1.254$$

$$\text{* STATIC COEFFICIENT : } M = 1.05$$

$$\text{굽힘 MOMENT 합계 : } \Sigma M_v = M_s + M_d = 6882 + 318416 = 403585 \quad \text{kg-cm}$$

2. 풍하중에 의한 굽힘 MOMENT

$$\text{풍하중에 의한 MOMENT : } M_w = \frac{\text{풍하중}(W) \times \text{지지거리}}{2}$$

$$M_w = \frac{32.93 \times 370}{2} = 6092.9 \quad \text{kg-cm}$$

$$\begin{aligned} \text{풍하중 : } W &= \text{속도압}(q) \times \text{속도계수}(C) \times \text{압력을 받는 면적}(A) \text{ (kg)} \\ &= 23.66 \times 1.2 \times 1.16 = 32.93 \text{ (kg)} \end{aligned}$$

$$\text{속도압 : } q = 8.5 \times \sqrt[4]{h} \text{ (kg/m}^2\text{)} = 8.5 \times \sqrt[4]{60} = 23.66 \text{ (kg/m}^2\text{)}$$

$$\text{속도계수 : } C = 1.2 \text{ (크레인 제작기준 참조)}$$

$$\begin{aligned} \text{풍압을 받는 면적 } A &= \text{I-BEAM의 면적} + \text{HOIST의 면적 (m}^2\text{)} \\ &= 0.79 + 0.37 = 1.16 \text{ (m}^2\text{)} \end{aligned}$$

$$\text{* 호이스트의 풍압을 받는 면적} \approx 0.8 \text{ m}^2$$

I-BEAM 규격	BEAM 자중 (kg/m)	최대 지지거리 (cm)	M _s (kg-cm)	M _d (kg-cm)	ΣM _v (kg-cm)	W (kg)	M _w (kg-cm)	A (m ²)
250×125×t7.5/12.5	38.3	370	6882	396703	403585	32.93	6092.9	1.16
300×150×t10/18.5	65.6	580	28964	621859	650823	59.91	17373.1	2.11
350×150×t9/15	58.5	600	30474	675467	705942	70.13	21038.5	2.47
400×150×t10/18	72.0	770	60480	857736	918216	90.00	34651.0	3.17
450×175×t11/20	91.7	990	143740	1072170	1215910	126.91	50764.9	4.47

단, 사용 I-BEAM은 MODEL별 기술사양서의 BEAM 쪽을 참조 할 것

5-2. 굽힘 응력 계산

1. 수직하중에 의한 굽힘 응력

$$\begin{aligned} * \sigma_v &= \frac{\text{수직 굽힘 MOMENT 합계 : } \Sigma M_v}{\text{단면 계수 : } Z_x} \quad (\text{kg/cm}^2) \\ &= \frac{403585}{415} = 972.5 \quad (\text{kg/cm}^2) \end{aligned}$$

2. 풍하중에 의한 굽힘 응력

$$\begin{aligned} * \sigma_w &= \frac{\text{풍하중에 의한 굽힘 MOMENT : } M_w}{\text{단면 계수 : } Z_y} \quad (\text{kg/cm}^2) \\ &= \frac{6092.9}{56.2} = 108.4 \quad (\text{kg/cm}^2) \end{aligned}$$


2. 풍하중에 의한 굽힘 응력

$$* \Sigma \sigma = \sigma_v + \sigma_w \leq 0.8 \times 1449 = 1159 \text{ kg/cm}^2$$

I-BEAM 규격	단 면 계 수 Zx	단 면 계 수 Zy	ΣM_v (kg-cm)	Mw (kg-cm)	σ_v (kg/cm ²)	σ_w (kg/cm ²)	$\Sigma \sigma$ (kg/cm ²)
⇒ 250×125×t7.5/12.5	415	56.2	403585	6092.9	972.5	108.4	1080.9
300×150×t10/18.5	849	118	650823	17373.1	766.6	147.2	913.8
350×150×t9/15	871	95.4	705942	21038.5	810.5	220.5	1031.0
400×150×t10/18	1220	118	918216	34651.0	752.6	293.7	1046.3
450×175×t11/20	1740	177	1215910	50764.9	698.8	286.8	985.6

단, I-BEAM의 사용은 MODEL 별 기술사양서에 따른다.

192.168.11.38 / 2012-06-27 11:35:02



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

5-3. I-BEAM 처짐(DEFLECTION)

1. I-BEAM 자중에 의한 처짐

$$\begin{aligned} * \delta_s &= \frac{5 \times \text{I-BEAM 자중} \times \text{지지거리}^3}{384 \times 2100000 \times I_x} \quad (\text{cm}) \\ &= \frac{5 \times 38.3 \times 370^3}{384 \times 2100000 \times 5180} = 0.02322 \quad (\text{cm}) \end{aligned}$$

2. 이동하중에 의한 처짐 (DEFLECTION)

$$\begin{aligned} * \delta_d &= \frac{(\text{정격하중} + \text{호이스트자중}) \times \text{지지거리}^3}{48 \times 2100000 \times I_x} \quad (\text{cm}) \\ &= \frac{(2800 + 620) \times 370^3}{48 \times 2100000 \times 5180} = 0.332 \quad (\text{cm}) \end{aligned}$$

3. 판 정

1) 이동하중에 의한 처짐판정(하단표기)


$$\begin{aligned} \frac{\text{이동하중에 의한 처짐} : \delta_d}{\text{지지거리}} &< \frac{1}{1000} \\ &= \frac{0.332}{370} = \frac{1}{1115} < \frac{1}{1000} \end{aligned}$$

2) 처짐량 합계에 의한 처짐판정 (하단표기)

$$\begin{aligned} \frac{\text{I-BEAM 자중에 의한 처짐} : \delta_s + \text{이동하중에 의한 처짐} : \delta_d}{\text{지지거리}} &< \frac{1}{800} \\ &= \frac{0.02322 + 0.308}{370} = \frac{1}{1042} < \frac{1}{800} \end{aligned}$$

I-BEAM 규격	단면2차 MOMENT I_x	BEAM 자중 (kg/m)	δ_s (cm)	δ_d (cm)	이동하중에 의한 처짐 판정	처짐량 합계에 의한 처짐판정
250×125×t7.5/12.5	5180	38.3	0.023	0.332	1 / 1115	1 / 1042
300×150×t10/18.5	12700	65.6	0.06249	0.521	1 / 1113	1 / 994
350×150×t9/15	15200	58.5	0.05154	0.482	1 / 1244	1 / 1124
400×150×t10/18	24100	72	0.08457	0.643	1 / 1198	1 / 1059
450×175×t11/20	39200	91.7	0.14074	0.840	1 / 1179	1 / 1010

단, I-BEAM의 사용은 MODEL 별 기술사양서에 따른다.



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

I-6. I-BEAM의 최대 지지거리

6-1. 굽힘 MOMENT 계산

1. 수직하중에 의한 굽힘 MOMENT

$$\text{BEAM 자중에 의한 MOMENT : } M_s = \frac{M \times \text{I-BEAM 자중} \times (\text{지지거리})^2}{8} \quad \text{kg-cm}$$

$$M_s = \frac{1.05 \times 65.6 \times 580^2}{8} = 28964 \quad \text{kg-cm}$$

$$\text{이동하중에 의한 MOMENT : } M_d = F \times \frac{(\text{정격하중} + \text{호이스트 자중}) \times \text{지지거리}}{4} \quad \text{kg-cm}$$

$$M_d = 1.254 \times \frac{(2800 + 620) \times 580}{4} = 621859 \quad \text{kg-cm}$$

$$* \text{ 호이스트 자중 } = 620 \text{ KG} \quad \text{용 량 : } 2800 \text{ KG}$$

$$* \text{ DYNAMIC COEFFICIENT : } F = 1.254$$

$$* \text{ STATIC COEFFICIENT : } M = 1.05$$

$$\text{굽힘 MOMENT 합계 : } \Sigma M_v = M_s + M_d = 28964 + 577128 = 650823 \quad \text{kg-cm}$$

2. 풍하중에 의한 굽힘 MOMENT

$$\text{풍하중에 의한 MOMENT : } M_w = \frac{\text{풍하중}(W) \times \text{지지거리}}{2}$$

$$M_w = \frac{59.91 \times 580}{2} = 17373.1 \quad \text{kg-cm}$$

$$\begin{aligned} \text{풍하중 : } W &= \text{속도압}(q) \times \text{속도계수}(C) \times \text{압력을 받는 면적}(A) \text{ (kg)} \\ &= 23.66 \times 1.2 \times 2.11 = 59.91 \text{ (kg)} \end{aligned}$$

$$\text{속도압 : } q = 8.5 \times \sqrt[4]{h} \text{ (kg/m}^2\text{)} = 8.5 \times \sqrt[4]{60} = 23.66 \text{ (kg/m}^2\text{)}$$

$$\text{속도계수 : } C = 1.2 \text{ (크레인 제작기준 참조)}$$

$$\begin{aligned} \text{풍압을 받는 면적 } A &= \text{I-BEAM의 면적} + \text{HOIST의 면적 (m}^2\text{)} \\ &= 1.74 + 0.37 = 2.11 \text{ (m}^2\text{)} \end{aligned}$$

$$* \text{ 호이스트의 풍압을 받는 면적 } \approx 0.8 \text{ m}^2$$

I-BEAM 규격	BEAM 자중 (kg/m)	최 대 지지거리 (cm)	M _s (kg-cm)	M _d (kg-cm)	ΣM _v (kg-cm)	W (kg)	M _w (kg-cm)	A (m ²)
250×125×t7.5/12.5	38.3	370	6882	396703	403585	32.93	6092.9	1.16
300×150×t10/18.5	65.6	580	28964	621859	650823	59.91	17373.1	2.11
350×150×t9/15	58.5	630	30474	675467	705942	70.13	22090.4	2.47
400×150×t10/13	72.0	800	60480	857736	918216	90.00	36000.0	3.17
450×175×t11/20	91.7	1000	143740	1072170	1215910	126.91	50764.9	4.47

단, 사용 I-BEAM은 MODEL별 기술사양서의 BEAM 폭을 참조 할 것

6-2. 굽힘 응력 계산

1. 수직하중에 의한 굽힘 응력

$$\begin{aligned} * \sigma_v &= \frac{\text{수직 굽힘 MOMENT 합계 : } \Sigma M_v}{\text{단면 계수 : } Z_x} \quad (\text{kg/cm}^2) \\ &= \frac{650823}{849} = 766.6 \quad (\text{kg/cm}^2) \end{aligned}$$

2. 풍하중에 의한 굽힘 응력

$$\begin{aligned} * \sigma_w &= \frac{\text{풍하중에 의한 굽힘 MOMENT : } M_w}{\text{단면 계수 : } Z_y} \quad (\text{kg/cm}^2) \\ &= \frac{17373.1}{118} = 147.2 \quad (\text{kg/cm}^2) \end{aligned}$$


2. 풍하중에 의한 굽힘 응력

$$* \Sigma \sigma = \sigma_v + \sigma_w \leq 0.8 \times 1449 = 1159 \text{ kg/cm}^2$$

I-BEAM 규격	단 면 계 수 Zx	단 면 계 수 Zy	ΣM_v (kg-cm)	Mw (kg-cm)	σ_v (kg/cm ²)	σ_w (kg/cm ²)	$\Sigma \sigma$ (kg/cm ²)
250×125×t7.5/12.5	415	56.2	403585	6092.9	972.5	108.4	1080.9
⇒ 300×150×t10/18.5	849	118	650823	17373.1	766.6	147.2	913.8
350×150×t9/15	871	95.4	705942	22090.4	810.5	231.6	1042.1
400×150×t10/18	1220	118	918216	36000.0	752.6	305.1	1057.7
450×175×t11/20	1740	177	1215910	50764.9	698.8	286.8	985.6

단, I-BEAM의 사용은 MODEL 별 기술사양서에 따른다.

192.168.11.38 / 2012-06-27 11:35:02



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

6-3. I-BEAM 처짐(DEFLECTION)

1. I-BEAM 자중에 의한 처짐

$$\begin{aligned} * \delta_s &= \frac{5 \times \text{I-BEAM 자중} \times \text{지지거리}^3}{384 \times 2100000 \times I_x} \quad (\text{cm}) \\ &= \frac{5 \times 65.6 \times 580^3}{384 \times 2100000 \times 5180} = 0.0625 \quad (\text{cm}) \end{aligned}$$

2. 이동하중에 의한 처짐 (DEFLECTION)

$$\begin{aligned} * \delta_d &= \frac{(\text{정격하중} + \text{호이스트자중}) \times \text{지지거리}^3}{48 \times 2100000 \times I_x} \quad (\text{cm}) \\ &= \frac{(2800 + 620) \times 580^3}{48 \times 2100000 \times 5180} = 0.521 \quad (\text{cm}) \end{aligned}$$

3. 판 정

1) 이동하중에 의한 처짐판정(하단표기)

$$\begin{aligned} \frac{\text{이동하중에 의한 처짐} : \delta_d}{\text{지지거리}} &< \frac{1}{1000} \\ &= \frac{0.521}{580} = \frac{1}{1113} < \frac{1}{1000} \end{aligned}$$


2) 처짐량 합계에 의한 처짐판정 (하단표기)

$$\begin{aligned} \frac{\text{I-BEAM 자중에 의한 처짐} : \delta_s + \text{이동하중에 의한 처짐} : \delta_d}{\text{지지거리}} &< \frac{1}{800} \\ &= \frac{0.0625 + 0.484}{580} = \frac{1}{994} < \frac{1}{800} \end{aligned}$$

I-BEAM 규격	단면2차 MOMENT I _x	BEAM 자중 (kg/m)	δ _s (cm)	δ _d (cm)	이동하중에 의한 처짐 판정	처짐량 합계에 의한 처짐판정
250×125×t7.5/12.5	5180	38.3	0.023	0.332	1 / 1115	1 / 1042
300×150×t10/18.5	12700	65.6	0.06249	0.521	1 / 1113	1 / 994
350×150×t9/15	15200	58.5	0.05967	0.558	1 / 1129	1 / 1020
400×150×t10/18	24100	72	0.09484	0.721	1 / 1110	1 / 981
450×175×t11/20	39200	91.7	0.14504	0.866	1 / 1155	1 / 990

단, I-BEAM의 사용은 MODEL 별 기술사양서에 따른다

192.168.11.38 / 2012-06-27 11:35:02



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

I-7. I-BEAM의 최대 지지거리

7-1. 굽힘 MOMENT 계산

1. 수직하중에 의한 굽힘 MOMENT

$$\text{BEAM 자중에 의한 MOMENT : } M_s = \frac{M \times \text{I-BEAM 자중} \times (\text{지지거리})^2}{8} \quad \text{kg-cm}$$

$$M_s = \frac{1.05 \times 58.5 \times 630^2}{8} = 30474 \quad \text{kg-cm}$$

$$\text{이동하중에 의한 MOMENT : } M_d = F \times \frac{(\text{정격하중} + \text{호이스트 자중}) \times \text{지지거리}}{4} \quad \text{kg-cm}$$

$$M_d = 1.254 \times \frac{(2800 + 620) \times 630}{4} = 675467 \quad \text{kg-cm}$$

$$\text{* 호이스트 자중} = 620 \text{ KG} \quad \text{용량} : 2800 \text{ KG}$$

$$\text{* DYNAMIC COEFFICIENT : } F = 1.254$$

$$\text{* STATIC COEFFICIENT : } M = 1.05$$

$$\text{굽힘 MOMENT 합계 : } \Sigma M_v = M_s + M_d = 30474 + 626881 = 705942 \quad \text{kg-cm}$$

2. 풍하중에 의한 굽힘 MOMENT

$$\text{풍하중에 의한 MOMENT : } M_w = \frac{\text{풍하중}(W) \times \text{지지거리}}{2}$$

$$M_w = \frac{70.13 \times 630}{2} = 22090.4 \quad \text{kg-cm}$$

$$\begin{aligned} \text{풍하중 : } W &= \text{속도압}(q) \times \text{속도계수}(C) \times \text{압력을 받는 면적}(A) \text{ (kg)} \\ &= 23.66 \times 1.2 \times 2.47 = 70.13 \text{ (kg)} \end{aligned}$$

$$\text{속도압 : } q = 8.5 \times \sqrt[4]{h} \text{ (kg/m}^2\text{)} = 8.5 \times \sqrt[4]{60} = 23.66 \text{ (kg/m}^2\text{)}$$

$$\text{속도계수 : } C = 1.2 \text{ (크레인 제작기준 참조)}$$

$$\text{풍압을 받는 면적 } A = \text{I-BEAM의 면적} + \text{HOIST의 면적 (m}^2\text{)}$$

$$= 2.1 + 0.37 = 2.47 \text{ (m}^2\text{)}$$

$$\text{* 호이스트의 풍압을 받는 면적} \approx 0.8 \text{ m}^2$$

I-BEAM 규격	BEAM 자중 (kg/m)	최대 지지거리 (cm)	M _s (kg-cm)	M _d (kg-cm)	ΣM _v (kg-cm)	W (kg)	M _w (kg-cm)	A (m ²)
250×125×t7.5/12.5	38.3	370	6882	396703	403585	32.93	6092.9	1.16
300×150×t10/18.5	65.6	580	28964	621859	650823	59.91	17373.1	2.11
350×150×t9/15	58.5	630	30474	675467	705942	70.13	22090.4	2.47
400×150×t10/18	72.0	800	60480	157736	918216	90.00	36001.1	3.17
450×175×t11/20	91.7	1000	143740	1072170	1215910	126.91	50764.9	4.47

단, 사용 I-BEAM은 MODEL별 기술사양서의 BEAM 폭을 참조 할 것

7-2. 굽힘 응력 계산

1. 수직하중에 의한 굽힘 응력

$$\begin{aligned} * \sigma_v &= \frac{\text{수직 굽힘 MOMENT 합계 : } \sum M_v}{\text{단면 계수 : } Z_x} \quad (\text{kg/cm}^2) \\ &= \frac{705942}{871} = 810.5 \quad (\text{kg/cm}^2) \end{aligned}$$

2. 풍하중에 의한 굽힘 응력

$$\begin{aligned} * \sigma_w &= \frac{\text{풍하중에 의한 굽힘 MOMENT : } M_w}{\text{단면 계수 : } Z_y} \quad (\text{kg/cm}^2) \\ &= \frac{22090.4}{95.4} = 231.6 \quad (\text{kg/cm}^2) \end{aligned}$$


2. 풍하중에 의한 굽힘 응력

$$* \sum \sigma = \sigma_v + \sigma_w \leq 0.8 \times 1449 = 1159 \text{ kg/cm}^2$$

I-BEAM 규격	단 면 계 수 Zx	단 면 계 수 Zy	$\sum M_v$ (kg-cm)	Mw (kg-cm)	σ_v (kg/cm ²)	σ_w (kg/cm ²)	$\sum \sigma$ (kg/cm ²)
250×125×t7.5/12.5	415	56.2	403585	6092.9	972.5	108.4	1080.9
300×150×t10/18.5	849	118	650823	17373.1	766.6	147.2	913.8
⇒ 350×150×t9/15	871	95.4	705942	22090.4	810.5	231.6	1042.1
400×150×t10/18	1220	118	918216	36001.1	752.6	305.1	1057.7
450×175×t11/20	1740	177	1215910	50764.9	698.8	286.8	985.6

단, I-BEAM의 사용은 MODEL 별 기술사양서에 따른다.

192.168.11.38 / 2012-06-27 11:35:02



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

7-3. I-BEAM 처짐(DEFLECTION)

1. I-BEAM 자중에 의한 처짐

$$\begin{aligned} * \delta_s &= \frac{5 \times \text{I-BEAM 자중} \times \text{지지거리}^3}{384 \times 2100000 \times I_x} \quad (\text{cm}) \\ &= \frac{5 \times 58.5 \times 630^3}{384 \times 2100000 \times 15200} = 0.05967 \quad (\text{cm}) \end{aligned}$$

2. 이동하중에 의한 처짐 (DEFLECTION)

$$\begin{aligned} * \delta_d &= \frac{(\text{정격하중} + \text{호이스트자중}) \times \text{지지거리}^3}{48 \times 2100000 \times I_x} \quad (\text{cm}) \\ &= \frac{(2800 + 620) \times 630^3}{48 \times 2100000 \times 15200} = 0.558 \quad (\text{cm}) \end{aligned}$$

3. 판 정

1) 이동하중에 의한 처짐판정(하단표기)


$$\begin{aligned} \frac{\text{이동하중에 의한 처짐} : \delta_d}{\text{지지거리}} &< \frac{1}{1000} \\ &= \frac{0.558}{630} = \frac{1}{1129} < \frac{1}{1000} \end{aligned}$$

2) 처짐량 합계에 의한 처짐판정 (하단표기)

$$\begin{aligned} \frac{\text{I-BEAM 자중에 의한 처짐} : \delta_s + \text{이동하중에 의한 처짐} : \delta_d}{\text{지지거리}} &< \frac{1}{800} \\ &= \frac{0.05967 + 0.518}{630} = \frac{1}{1020} < \frac{1}{800} \end{aligned}$$

I-BEAM 규격	단면2차 MOMENT I _x	BEAM 자중 (kg/m)	δ _s (cm)	δ _d (cm)	이동하중에 의한 처짐 판정	처짐량 합계에 의한 처짐판정
250×125×17.5/12.5	5180	38.3	0.023	0.332	1 / 1115	1 / 1042
300×150×110/18.5	12700	65.6	0.06249	0.521	1 / 1113	1 / 994
→ 350×150×19/15	15200	58.5	0.05967	0.558	1 / 1129	1 / 1020
400×150×110/18	24100	72	0.09484	0.721	1 / 1110	1 / 981
450×175×111/20	39200	91.7	0.14504	0.863	1 / 1155	1 / 990

단, I-BEAM의 사용은 MODEL 별 기술사양서에 따른다.



한국산업안전보건공단
KOSHA

I-8. I-BEAM의 최대 지지거리

8-1. 굽힘 MOMENT 계산

1. 수직하중에 의한 굽힘 MOMENT

$$\text{BEAM 자중에 의한 MOMENT : } M_s = \frac{M \times \text{I-BEAM 자중} \times (\text{지지거리})^2}{8} \quad \text{kg-cm}$$

$$M_s = \frac{1.05 \times 72 \times 800^2}{8} = 60480 \quad \text{kg-cm}$$

$$\text{이동하중에 의한 MOMENT : } M_d = F \times \frac{(\text{정격하중} + \text{호이스트 자중}) \times \text{지지거리}}{4} \quad \text{kg-cm}$$

$$M_d = 1.254 \times \frac{(2800 + 620) \times 800}{4} = 857736 \quad \text{kg-cm}$$

$$* \text{ 호이스트 자중 } = 620 \text{ KG} \quad \text{용 량 : } 2800 \text{ KG}$$

$$* \text{ DYNAMIC COEFFICIENT : } F = 1.254$$

$$* \text{ STATIC COEFFICIENT : } M = 1.05$$

$$\text{굽힘 MOMENT 합계 : } \sum M_v = M_s + M_d = 60480 + 796039 = 918216 \quad \text{kg-cm}$$

2. 풍하중에 의한 굽힘 MOMENT

$$\text{풍하중에 의한 MOMENT : } M_w = \frac{\text{풍하중}(W) \times \text{지지거리}}{2}$$

$$M_w = \frac{90 \times 800}{2} = 36001.1 \quad \text{kg-cm}$$

$$\begin{aligned} \text{풍하중 : } W &= \text{속도압}(q) \times \text{속도계수}(C) \times \text{압력을 받는 면적}(A) \text{ (kg)} \\ &= 23.66 \times 1.2 \times 3.17 = 90.00 \text{ (kg)} \end{aligned}$$

$$\text{속도압 : } q = 8.5 \times \sqrt{h} \text{ (kg/m}^2\text{)} = 8.5 \times \sqrt{60} = 23.66 \text{ (kg/m}^2\text{)}$$

$$\text{속도계수 : } C = 1.2 \text{ (크레인 제작기준 참조)}$$

$$\begin{aligned} \text{풍압을 받는 면적 } A &= \text{I-BEAM의 면적} + \text{HOIST의 면적 (m}^2\text{)} \\ &= 2.8 + 0.37 = 3.17 \text{ (m}^2\text{)} \end{aligned}$$

$$* \text{ 호이스트의 풍압을 받는 면적 } \approx 0.8 \text{ m}^2$$

I-BEAM 규격	BEAM 자중 (kg/m)	최 대 지지거리 (cm)	M _s (kg-cm)	M _d (kg-cm)	ΣM _v (kg-cm)	W (kg)	M _w (kg-cm)	A (m ²)
250×125×t7.5/12.5	38.3	370	6882	396703	403585	32.93	6092.9	1.16
300×150×t10/18.5	65.6	580	28964	621859	650823	59.91	17373.1	2.11
350×150×t9/15	58.5	630	30474	675467	705942	70.13	22090.4	2.47
400×150×t10/18	72.0	800	60480	857736	918216	90.00	36001.1	3.17
450×175×t11/20	91.7	1000	143740	1072170	1215910	126.91	50764.9	4.47

단, 사용 I-BEAM은 MODEL별 기술사양서의 BEAM 쪽을 참조 할 것

8-2. 굽힘 응력 계산

1. 수직하중에 의한 굽힘 응력

$$\begin{aligned} * \sigma_v &= \frac{\text{수직 굽힘 MOMENT 합계 : } \Sigma M_v}{\text{단면 계수 : } Z_x} \quad (\text{kg/cm}^2) \\ &= \frac{918216}{1220} = 752.6 \quad (\text{kg/cm}^2) \end{aligned}$$

2. 풍하중에 의한 굽힘 응력

$$\begin{aligned} * \sigma_w &= \frac{\text{풍하중에 의한 굽힘 MOMENT : } M_w}{\text{단면 계수 : } Z_y} \quad (\text{kg/cm}^2) \\ &= \frac{36001.1}{118} = 305.1 \quad (\text{kg/cm}^2) \end{aligned}$$


2. 풍하중에 의한 굽힘 응력

$$* \Sigma \sigma = \sigma_v + \sigma_w \leq 0.8 \times 1449 = 1159 \text{ kg/cm}^2$$

I-BEAM 규격	단면 계수 Zx	단면 계수 Zy	ΣM_v (kg-cm)	Mw (kg-cm)	σ_v (kg/cm ²)	σ_w (kg/cm ²)	$\Sigma \sigma$ (kg/cm ²)
250×125×t7.5/12.5	415	56.2	403585	6092.9	972.5	108.4	1080.9
300×150×t10/18.5	849	118	650823	17373.1	766.6	147.2	913.8
350×150×t9/15	871	95.4	705942	22090.4	810.5	231.6	1042.1
⇒ 400×150×t10/18	1220	118	918216	36001.1	752.6	305.1	1057.7
450×175×t11/20	1740	177	1215910	50764.9	698.8	286.8	985.6

단, I-BEAM의 사용은 MODEL 별 기술사양서에 따른다.

192.168.11.38 / 2012-06-27 11:35:02



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

8-3. I-BEAM 처짐(DEFLECTION)

1. I-BEAM 자중에 의한 처짐

$$\begin{aligned} * \delta_s &= \frac{5 \times \text{I-BEAM 자중} \times \text{지지거리}^3}{384 \times 2100000 \times I_x} \quad (\text{cm}) \\ &= \frac{5 \times 72 \times 800^3}{384 \times 2100000 \times 24100} = 0.09484 \quad (\text{cm}) \end{aligned}$$

2. 이동하중에 의한 처짐 (DEFLECTION)

$$\begin{aligned} * \delta_d &= \frac{(\text{정격하중} + \text{호이스트자중}) \times \text{지지거리}^3}{48 \times 2100000 \times I_x} \quad (\text{cm}) \\ &= \frac{(2800 + 620) \times 800^3}{48 \times 2100000 \times 24100} = 0.721 \quad (\text{cm}) \end{aligned}$$

3. 판 정

1) 이동하중에 의한 처짐판정(하단표기)


$$\begin{aligned} \frac{\text{이동하중에 의한 처짐} : \delta_d}{\text{지지거리}} &< \frac{1}{1000} \\ &= \frac{0.721}{800} = \frac{1}{1110} < \frac{1}{1000} \end{aligned}$$

2) 처짐량 합계에 의한 처짐판정 (하단표기)

$$\begin{aligned} \frac{\text{I-BEAM 자중에 의한 처짐} : \delta_s + \text{이동하중에 의한 처짐} : \delta_d}{\text{지지거리}} &< \frac{1}{800} \\ &= \frac{0.09484 + 0.669}{800} = \frac{1}{981} < \frac{1}{800} \end{aligned}$$

I-BEAM 규격	단면2차 MOMENT I _x	BEAM 자중 (kg/m)	δ _s (cm)	δ _d (cm)	이동하중에 의한 처짐 판정	처짐량 합계에 의한 처짐판정
250×125×t7.5/12.5	5180	38.3	0.023	0.332	1 / 1115	1 / 1042
300×150×t10/18.5	12700	65.6	0.06249	0.521	1 / 1113	1 / 994
350×150×t9/15	15200	58.5	0.05967	0.558	1 / 1129	1 / 1020
→ 400×150×t10/18	24100	72	0.09484	0.721	1 / 1110	1 / 981
450×175×t11/20	39200	91.7	0.14504	0.866	1 / 1155	1 / 990

단, I-BEAM의 사용은 MODEL 별 기술사양서에 따른다.



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

I-9. I-BEAM의 최대 지지거리

9-1. 굽힘 MOMENT 계산

1. 수직하중에 의한 굽힘 MOMENT

$$\text{BEAM 자중에 의한 MOMENT : } M_s = \frac{M \times \text{I-BEAM 자중} \times (\text{지지거리})^2}{8} \quad \text{kg-cm}$$

$$M_s = \frac{1.05 \times 91.7 \times 1000^2}{8} = 143740 \quad \text{kg-cm}$$

$$\text{이동하중에 의한 MOMENT : } M_d = F \times \frac{(\text{정격하중} + \text{호이스트 자중}) \times \text{지지거리}}{4} \quad \text{kg-cm}$$

$$M_d = 1.254 \times \frac{(2800 + 620) \times 1000}{4} = 1072170 \quad \text{kg-cm}$$

$$\text{* 호이스트 자중} = 620 \text{ KG} \quad \text{용량} : 2800 \text{ KG}$$

$$\text{* DYNAMIC COEFFICIENT : } F = 1.254$$

$$\text{* STATIC COEFFICIENT : } M = 1.05$$

$$\text{굽힘 MOMENT 합계 : } \Sigma M_v = M_s + M_d = 143740 + 995049 = 1215910 \quad \text{kg-cm}$$

2. 풍하중에 의한 굽힘 MOMENT

$$\text{풍하중에 의한 MOMENT : } M_w = \frac{\text{풍하중}(W) \times \text{지지거리}}{2}$$

$$M_w = \frac{126.91 \times 800}{2} = 50764.9 \quad \text{kg-cm}$$

$$\begin{aligned} \text{풍하중 : } W &= \text{속도압}(q) \times \text{속도계수}(C) \times \text{압력을 받는 면적}(A) \text{ (kg)} \\ &= 23.66 \times 1.2 \times 4.47 = 126.91 \text{ (kg)} \end{aligned}$$

$$\text{속도압 : } q = 8.5 \times \sqrt[4]{h} \text{ (kg/m}^2\text{)} = 8.5 \times \sqrt[4]{60} = 23.66 \text{ (kg/m}^2\text{)}$$

$$\text{속도계수 : } C = 1.2 \text{ (크레인 제작기준 참조)}$$

$$\begin{aligned} \text{풍압을 받는 면적 } A &= \text{I-BEAM의 면적} + \text{HOIST의 면적 (m}^2\text{)} \\ &= 4.1 + 0.37 = 4.47 \text{ (m}^2\text{)} \end{aligned}$$

$$\text{* 호이스트의 풍압을 받는 면적} \approx 0.8 \text{ m}^2$$

I-BEAM 규격	BEAM 자중 (kg/m)	최대 지지거리 (cm)	M _s (kg-cm)	M _d (kg-cm)	ΣM _v (kg-cm)	W (kg)	M _w (kg-cm)	A (m ²)
250×125×t7.5/12.5	38.3	370	6882	396703	403585	32.93	6092.9	1.16
300×150×t10/18.5	65.6	580	28964	621859	650823	59.91	17373.1	2.11
350×150×t9/15	58.5	630	30474	675467	705942	70.13	22090.4	2.47
400×150×t10/16	72.0	800	60480	857738	918216	90.00	36000.1	3.17
450×175×t11/20	91.7	1000	143740	1072170	1215910	126.91	50764.9	4.47

단, 사용 I-BEAM은 MODEL별 기술사항서의 BEAM 폭을 참조 할 것

9-2. 굽힘 응력 계산

1. 수직하중에 의한 굽힘 응력

$$\begin{aligned} * \sigma_v &= \frac{\text{수직 굽힘 MOMENT 합계 : } \Sigma M_v}{\text{단면 계수 : } Z_x} \quad (\text{kg/cm}^2) \\ &= \frac{1215910}{1740} = 698.8 \quad (\text{kg/cm}^2) \end{aligned}$$

2. 풍하중에 의한 굽힘 응력

$$\begin{aligned} * \sigma_w &= \frac{\text{풍하중에 의한 굽힘 MOMENT : } M_w}{\text{단면 계수 : } Z_y} \quad (\text{kg/cm}^2) \\ &= \frac{50764.9}{177} = 286.8 \quad (\text{kg/cm}^2) \end{aligned}$$


2. 풍하중에 의한 굽힘 응력

$$* \Sigma \sigma = \sigma_v + \sigma_w \leq 0.8 \times 1449 = 1159 \text{ kg/cm}^2$$

I-BEAM 규격	단면 계수 Zx	단면 계수 Zy	ΣM_v (kg-cm)	Mw (kg-cm)	σ_v (kg/cm ²)	σ_w (kg/cm ²)	$\Sigma \sigma$ (kg/cm ²)
250×125×t7.5/12.5	415	56.2	403585	6092.9	972.5	108.4	1080.9
300×150×t10/18.5	849	118	650823	17373.1	766.6	147.2	913.8
350×150×t9/15	871	95.4	705942	22090.4	810.5	231.6	1042.1
400×150×t10/18	1220	118	918216	36001.1	752.6	305.1	1057.7
⇒ 450×175×t11/20	1740	177	1215910	50764.9	698.8	286.8	985.6

단, I-BEAM의 사용은 MODEL 별 기술사양서에 따른다.

192.168.11.38 / 2012-06-27 11:35:02



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

9-3. I-BEAM 처짐(DEFLECTION)

1. I-BEAM 자중에 의한 처짐

$$\begin{aligned} * \delta_s &= \frac{5 \times \text{I-BEAM 자중} \times \text{지지거리}^3}{384 \times 2100000 \times I_x} \quad (\text{cm}) \\ &= \frac{5 \times 91.7 \times 1000^3}{384 \times 2100000 \times 39200} = 0.14504 \quad (\text{cm}) \end{aligned}$$

2. 이동하중에 의한 처짐 (DEFLECTION)

$$\begin{aligned} * \delta_d &= \frac{(\text{정격하중} + \text{호이스트자중}) \times \text{지지거리}^3}{48 \times 2100000 \times I_x} \quad (\text{cm}) \\ &= \frac{(2800 + 620) \times 1000^3}{48 \times 2100000 \times 39200} = 0.866 \quad (\text{cm}) \end{aligned}$$

3. 판 정

1) 이동하중에 의한 처짐판정(하단표기)


$$\begin{aligned} &\frac{\text{이동하중에 의한 처짐} : \delta_d}{\text{지지거리}} < \frac{1}{1000} \\ &= \frac{0.866}{1000} = \frac{1}{1155} < \frac{1}{1000} \end{aligned}$$

2) 처짐량 합계에 의한 처짐판정 (하단표기)

$$\begin{aligned} &\frac{\text{I-BEAM 자중에 의한 처짐} : \delta_s + \text{이동하중에 의한 처짐} : \delta_d}{\text{지지거리}} < \frac{1}{800} \\ &= \frac{0.14504 + 0.803}{1000} = \frac{1}{990} < \frac{1}{800} \end{aligned}$$

I-BEAM 규격	단면2차 MOMENT I _x	BEAM 자중 (kg/m)	δ _s (cm)	δ _d (cm)	이동하중에 의한 처짐 판정	처짐량 합계에 의한 처짐판정
250×125×t7.5/12.5	5180	38.3	0.023	0.332	1 / 1115	1 / 1042
300×150×t10/18.5	12700	65.6	0.06249	0.521	1 / 1113	1 / 994
350×150×t9/15	15200	58.5	0.05967	0.558	1 / 1129	1 / 1020
400×150×t10/18	24100	72	0.09484	0.721	1 / 1110	1 / 981
⇒ 450×175×t11/20	33200	91.7	0.14504	0.866	1 / 1155	1 / 990

단, I-BEAM의 사용은 MODEL 별 기술사양서에 따른다.



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY


192.168.11.38 / 2012-06-27 11:35:02

IV. 참 고 도 서

- 1 LOAD LIMITER 권고 SETTING 치
- 2 E.O.C.R 권고 SETTING치
- 3 MOTOR DATA SHEET
- 4 사용방법 설명서 (HOIST, OLP)
- 5 PUSH BUTTON 카다록 및 IP 성적서
- 6 WIRE ROPE 성적서
- 7 SUB VENDOR LIST
- 8 INVERTER 취급설명서



192.168.11.38 / 2012-06-27 11:35:02



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

LOAD LIMITER 권고 SETTING치

* POWER SOURCE : AC 3Φ 220V 60Hz

극동하이스트(주)

HOIST	MOTOR 용량	LOAD LIMITER 권고 SETTING치			LOAD CURRENT		C.T MODEL	연결단자 NO	C.T 용량	REMARK
		LOAD CURRENT	ADJ START TIME	SHOCK TIME	100%	110%				
0.5 TON	1.2KW x 8P	110%	1 SEC	1 SEC	8.0 A	9.0 A	CT-1	K, L	5 V.A	
	1.5KW x 6P	110%	1 SEC	1 SEC	7.6 A	8.4 A	CT-1	K, L	5 V.A	
	2.4KW x 4P	110%	1 SEC	1 SEC	10 A	11.2 A	CT-1	K, L	5 V.A	
1 TON	1.2KW x 8P	110%	1 SEC	1 SEC	8.0 A	9.0 A	CT-1	K, L	5 V.A	
	1.5KW x 6P	110%	1 SEC	1 SEC	7.6 A	8.4 A	CT-1	K, L	5 V.A	
	2.4KW x 4P	110%	1 SEC	1 SEC	10 A	11.2 A	CT-1	K, L	5 V.A	
2 TON	1.8KW x 8P	110%	1 SEC	1 SEC	11.0 A	12.2 A	CT-1	K, L	5 V.A	
	2.5KW x 6P	110%	1 SEC	1 SEC	12.0 A	13.2 A	CT-1	K, L	5 V.A	
	3.7KW x 4P	110%	1 SEC	1 SEC	16.0 A	17.6 A	CT-1	K, L	5 V.A	
2.8 TON	2.5KW x 8P	110%	1 SEC	1 SEC	17.7 A	19.5 A	CT-1	K, L	5 V.A	
	5.0KW x 4P	110%	1 SEC	1 SEC	22.8 A	25.0 A	CT-1	K, L	5 V.A	
	2.8KW x 8P	110%	1 SEC	1 SEC	17.7 A	19.5 A	CT-1	K, L	5 V.A	
3 TON	5.5KW x 4P	110%	1 SEC	1 SEC	22.8 A	25.0 A	CT-1	K, L	5 V.A	
	4.2KW x 8P	110%	1 SEC	1 SEC	23.0 A	25.3 A	CT-1	K, L	5 V.A	
	5.5KW x 6P	110%	1 SEC	1 SEC	28.2 A	31.0 A	CT-1	K, L	5 V.A	
5 TON	8.5KW x 4P	110%	1 SEC	1 SEC	34.4 A	38.4 A	CT-1	K, L	5 V.A	
	4.2KW x 8P	110%	1 SEC	1 SEC	23.0 A	25.3 A	CT-1	K, L	5 V.A	
	5.5KW x 6P	110%	1 SEC	1 SEC	28.2 A	31.0 A	CT-1	K, L	5 V.A	
7.5 TON	8.5KW x 4P	110%	1 SEC	1 SEC	34.4 A	38.4 A	CT-1	K, L	5 V.A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

LOAD LIMITER 권고 SETTING치

* POWER SOURCE : AC 3Φ 380V 60Hz

HOIST	MOTOR 용량	LOAD LIMITER 권고 SETTING치			LOAD CURRENT		C.T MODEL	연결단자 NO	C.T 용량	REMARK
		LOAD CURRENT	ADJ START TIME	SHOCK TIME	100%	110%				
0.5 TON	1.2KW x 8P	110%	1 SEC	1 SEC	4.6 A	5.2 A	CT-1	K, L	5 V.A	
	1.5KW x 6P	110%	1 SEC	1 SEC	5.4 A	4.9 A	CT-1	K, L	5 V.A	
	2.4KW x 4P	110%	1 SEC	1 SEC	5.6 A	6.4 A	CT-1	K, L	5 V.A	
1 TON	1.2KW x 8P	110%	1 SEC	1 SEC	4.6 A	5.2 A	CT-1	K, L	5 V.A	
	1.5KW x 6P	110%	1 SEC	1 SEC	5.4 A	4.9 A	CT-1	K, L	5 V.A	
	2.4KW x 4P	110%	1 SEC	1 SEC	5.6 A	6.4 A	CT-1	K, L	5 V.A	
2 TON	1.8KW x 8P	110%	1 SEC	1 SEC	6.4 A	7.1 A	CT-1	K, L	5 V.A	
	2.5KW x 6P	110%	1 SEC	1 SEC	7.0 A	7.7 A	CT-1	K, L	5 V.A	
	3.7KW x 4P	110%	1 SEC	1 SEC	9.3 A	10.3 A	CT-1	K, L	5 V.A	
2.8 TON	2.5KW x 8P	110%	1 SEC	1 SEC	10.3 A	11.4 A	CT-1	K, L	5 V.A	
	5.0KW x 4P	110%	1 SEC	1 SEC	12.2 A	13.5 A	CT-1	K, L	5 V.A	
	2.8KW x 8P	110%	1 SEC	1 SEC	10.3 A	11.4 A	CT-1	K, L	5 V.A	
3 TON	5.5KW x 4P	110%	1 SEC	1 SEC	12.2 A	13.5 A	CT-1	K, L	5 V.A	
	4.2KW x 8P	110%	1 SEC	1 SEC	13.3 A	14.6 A	CT-1	K, L	5 V.A	
	5.5KW x 6P	110%	1 SEC	1 SEC	19.9 A	23.1 A	CT-1	K, L	5 V.A	
5 TON	8.5KW x 4P	110%	1 SEC	1 SEC	16.3 A	18.0 A	CT-1	K, L	5 V.A	
	4.2KW x 8P	110%	1 SEC	1 SEC	13.3 A	14.6 A	CT-1	K, L	5 V.A	
	5.5KW x 6P	110%	1 SEC	1 SEC	19.9 A	23.1 A	CT-1	K, L	5 V.A	
7.5 TON	8.5KW x 4P	110%	1 SEC	1 SEC	16.3 A	18.0 A	CT-1	K, L	5 V.A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

LOAD LIMITER 권고 SETTING치

* POWER SOURCE : AC 3Φ 440V 60Hz

국동호이스트㈜

HOIST	MOTOR 용량	LOAD LIMITER 권고 SETTING치			LOAD CURRENT		C.T MODEL	연결단자 NO	C.T 용량	REMARK
		LOAD CURRENT	ADJ START TIME	SHOCK TIME	100%	110%				
0.5 TON	1.2KW x 8P	110%	1 SEC	1 SEC	4.0 A	4.6 A	CT-1	K, L	5 V.A	
	1.5KW x 6P	110%	1 SEC	1 SEC	3.8 A	4.5 A	CT-1	K, L	5 V.A	
	2.4KW x 4P	110%	1 SEC	1 SEC	5.0 A	5.9 A	CT-1	K, L	5 V.A	
1 TON	1.2KW x 8P	110%	1 SEC	1 SEC	4.0 A	4.6 A	CT-1	K, L	5 V.A	
	1.5KW x 6P	110%	1 SEC	1 SEC	3.8 A	4.5 A	CT-1	K, L	5 V.A	
	2.4KW x 4P	110%	1 SEC	1 SEC	5.0 A	5.9 A	CT-1	K, L	5 V.A	
2 TON	1.8KW x 8P	110%	1 SEC	1 SEC	5.5 A	6.1 A	CT-1	K, L	5 V.A	
	2.5KW x 6P	110%	1 SEC	1 SEC	5.8 A	6.4 A	CT-1	K, L	5 V.A	
	3.7KW x 4P	110%	1 SEC	1 SEC	8.0 A	10.8 A	CT-1	K, L	5 V.A	
2.8 TON	2.5KW x 8P	110%	1 SEC	1 SEC	8.9 A	9.8 A	CT-1	K, L	5 V.A	
	5.0KW x 4P	110%	1 SEC	1 SEC	10.5 A	11.6 A	CT-1	K, L	5 V.A	
	2.8KW x 8P	110%	1 SEC	1 SEC	8.9 A	9.8 A	CT-1	K, L	5 V.A	
3 TON	5.5KW x 4P	110%	1 SEC	1 SEC	10.5 A	11.6 A	CT-1	K, L	5 V.A	
	4.2KW x 8P	110%	1 SEC	1 SEC	11.5 A	12.7 A	CT-1	K, L	5 V.A	
	5.5KW x 6P	110%	1 SEC	1 SEC	14.1 A	15.5 A	CT-1	K, L	5 V.A	
5 TON	8.5KW x 4P	110%	1 SEC	1 SEC	16.5 A	20.5 A	CT-1	K, L	5 V.A	
	4.2KW x 8P	110%	1 SEC	1 SEC	11.5 A	12.7 A	CT-1	K, L	5 V.A	
	5.5KW x 6P	110%	1 SEC	1 SEC	14.1 A	15.5 A	CT-1	K, L	5 V.A	
7.5 TON	8.5KW x 4P	110%	1 SEC	1 SEC	16.5 A	20.5 A	CT-1	K, L	5 V.A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

LOAD LIMITER 권고 SETTING치

* POWER SOURCE : AC 3Φ 460V 60Hz

HOIST	MOTOR 용량	LOAD LIMITER 권고 SETTING치			LOAD CURRENT		C.T MODEL	연결 단자 NO	C.T 용량	REMARK
		LOAD CURRENT	ADJ START TIME	SHOCK TIME	100%	110%				
0.5 TON	1.2KW x 8P	110%	1 SEC	1 SEC	3.8 A	4.4 A	CT-1	K, L	5 V.A	
	1.5KW x 6P	110%	1 SEC	1 SEC	3.6 A	4.1 A	CT-1	K, L	5 V.A	
	2.4KW x 4P	110%	1 SEC	1 SEC	4.8 A	5.2 A	CT-1	K, L	5 V.A	
1 TON	1.2KW x 8P	110%	1 SEC	1 SEC	3.8 A	4.4 A	CT-1	K, L	5 V.A	
	1.5KW x 6P	110%	1 SEC	1 SEC	3.6 A	4.1 A	CT-1	K, L	5 V.A	
	2.4KW x 4P	110%	1 SEC	1 SEC	4.8 A	5.2 A	CT-1	K, L	5 V.A	
2 TON	1.8KW x 8P	110%	1 SEC	1 SEC	5.3 A	5.9 A	CT-1	K, L	5 V.A	
	2.5KW x 6P	110%	1 SEC	1 SEC	5.5 A	6.1 A	CT-1	K, L	5 V.A	
	3.7KW x 4P	110%	1 SEC	1 SEC	7.7 A	8.5 A	CT-1	K, L	5 V.A	
2.8T	2.5KW x 8P	110%	1 SEC	1 SEC	7.7 A	8.5 A	CT-1	K, L	5 V.A	
	5.0KW x 4P	110%	1 SEC	1 SEC	10.0 A	11.5 A	CT-1	K, L	5 V.A	
	2.8KW x 8P	110%	1 SEC	1 SEC	7.7 A	8.5 A	CT-1	K, L	5 V.A	
3TON	5.5KW x 4P	110%	1 SEC	1 SEC	10.0 A	11.5 A	CT-1	K, L	5 V.A	
	4.2KW x 8P	110%	1 SEC	1 SEC	11.0 A	12.2 A	CT-1	K, L	5 V.A	
	5.5KW x 6P	110%	1 SEC	1 SEC	13.5 A	14.7 A	CT-1	K, L	5 V.A	
5 TON	8.5KW x 4P	110%	1 SEC	1 SEC	16.5 A	20.5 A	CT-1	K, L	5 V.A	
	4.2KW x 8P	110%	1 SEC	1 SEC	11.0 A	12.2 A	CT-1	K, L	5 V.A	
	5.5KW x 6P	110%	1 SEC	1 SEC	13.5 A	14.7 A	CT-1	K, L	5 V.A	
7.5 TON	8.5KW x 4P	110%	1 SEC	1 SEC	16.5 A	20.5 A	CT-1	K, L	5 V.A	
	4.2KW x 8P	110%	1 SEC	1 SEC	11.0 A	12.2 A	CT-1	K, L	5 V.A	
	5.5KW x 6P	110%	1 SEC	1 SEC	13.5 A	14.7 A	CT-1	K, L	5 V.A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

LOAD LIMITER 권고 SETTING치

* POWER SOURCE : AC 3Φ 480V 60Hz

HOIST	MOTOR 용량	LOAD LIMITER 권고 SETTING치			LOAD CURRENT		C.T MODEL	연결단자 NO	C.T 용량	REMARK
		LOAD CURRENT	ADJ	SHOCK TIME	100%	110%				
0.5 TON	1.2KW x 8P	110%	1 SEC	1 SEC	3.6 A	4.2 A	CT-1	K, L	5 V.A	
	1.5KW x 6P	110%	1 SEC	1 SEC	3.5 A	3.9 A	CT-1	K, L	5 V.A	
	2.4KW x 4P	110%	1 SEC	1 SEC	4.6 A	5.1 A	CT-1	K, L	5 V.A	
1 TON	1.2KW x 8P	110%	1 SEC	1 SEC	3.6 A	4.2 A	CT-1	K, L	5 V.A	
	1.5KW x 6P	110%	1 SEC	1 SEC	3.5 A	3.9 A	CT-1	K, L	5 V.A	
	2.4KW x 4P	110%	1 SEC	1 SEC	4.6 A	5.1 A	CT-1	K, L	5 V.A	
2 TON	1.8KW x 8P	110%	1 SEC	1 SEC	5.1 A	5.8 A	CT-1	K, L	5 V.A	
	2.5KW x 6P	110%	1 SEC	1 SEC	5.3 A	6.0 A	CT-1	K, L	5 V.A	
	3.7KW x 4P	110%	1 SEC	1 SEC	7.3 A	8.2 A	CT-1	K, L	5 V.A	
2.8 TON	2.5KW x 8P	110%	1 SEC	1 SEC	7.3 A	8.2 A	CT-1	K, L	5 V.A	
	5.0KW x 4P	110%	1 SEC	1 SEC	9.6 A	11.2 A	CT-1	K, L	5 V.A	
	2.8KW x 8P	110%	1 SEC	1 SEC	7.3 A	8.2 A	CT-1	K, L	5 V.A	
3 TON	5.5KW x 4P	110%	1 SEC	1 SEC	9.6 A	11.2 A	CT-1	K, L	5 V.A	
	4.2KW x 8P	110%	1 SEC	1 SEC	10.5 A	12.0 A	CT-1	K, L	5 V.A	
	5.5KW x 6P	110%	1 SEC	1 SEC	12.9 A	14.2 A	CT-1	K, L	5 V.A	
5 TON	8.5KW x 4P	110%	1 SEC	1 SEC	15.8 A	19.9 A	CT-1	K, L	5 V.A	
	4.2KW x 8P	110%	1 SEC	1 SEC	10.5 A	12.0 A	CT-1	K, L	5 V.A	
	5.5KW x 6P	110%	1 SEC	1 SEC	12.9 A	14.2 A	CT-1	K, L	5 V.A	
7.5 TON	8.5KW x 4P	110%	1 SEC	1 SEC	15.8 A	19.9 A	CT-1	K, L	5 V.A	
	4.2KW x 8P	110%	1 SEC	1 SEC	10.5 A	12.0 A	CT-1	K, L	5 V.A	
	5.5KW x 6P	110%	1 SEC	1 SEC	12.9 A	14.2 A	CT-1	K, L	5 V.A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.


E.O.C.R 권고 SETTING치

* POWER SOURCE : AC 3Φ 220V 60Hz

HOIST	MOTOR 용량	MOTOR 정격 전류	DRIVE TYPE	E.O.C.R TYPE	권고 SETTING 치			REMARK
					DELAY TIME	OPERATION TIME	CURRENT	
0.5 TON	1.2KW x 8P	8.0 A	1 DRIVE	SS-30	3 SEC	1 SEC	8.0 A	
	1.5KW x 6P	7.6 A	1 DRIVE	SS-30	3 SEC	1 SEC	7.6 A	
	2.4KW x 4P	10.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.0 A	
1 TON	1.2KW x 8P	8.0 A	1 DRIVE	SS-30	3 SEC	1 SEC	8.0 A	
	1.5KW x 6P	7.6 A	1 DRIVE	SS-30	3 SEC	1 SEC	7.6 A	
	2.4KW x 4P	10.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.0 A	
2 TON	1.8KW x 8P	11.0 A	1 DRIVE	SS-30	3 SEC	1 SEC	11.0 A	
	2.5KW x 6P	12.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	12.0 A	
	3.7KW x 4P	16.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	16.0 A	
2.8 TON	2.5KW x 8P	17.7 A	1 DRIVE	SS-30	3 SEC	1 SEC	17.7 A	
	5.0KW x 4P	22.8 A	1 DRAVE	SS-30	3 SEC	1 SEC	22.8 A	
	2.8KW x 8P	17.7 A	1 DRAVE	SS-30	3 SEC	1 SEC	17.7 A	
3 TON	5.5KW x 4P	22.8 A	1 DRAVE	SS-30	3 SEC	1 SEC	22.8 A	
	4.2KW x 8P	23.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	23.0 A	
	5.5KW x 6P	28.2 A	1 DRAVE	SS-30	3 SEC	1 SEC	28.2 A	
5 TON	8.5KW x 4P	34.4 A	1 DRAVE	SS-30	3 SEC	1 SEC	34.4 A	
	4.2KW x 8P	23.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	23.0 A	
	5.5KW x 6P	28.2 A	1 DRAVE	SS-30	3 SEC	1 SEC	28.2 A	
7.5 TON	8.5KW x 4P	34.4 A	1 DRAVE	SS-30	3 SEC	1 SEC	34.4 A	
	4.2KW x 8P	23.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	23.0 A	
	5.5KW x 6P	28.2 A	1 DRAVE	SS-30	3 SEC	1 SEC	28.2 A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.




E.O.C.R 권고 SETTING치

* POWER SOURCE : AC 3Ø 380V 60Hz

HOIST	MOTOR 용량	정격 전류	DRIVE TYPE	E.O.C.R TYPE	권고 SETTING 치			REMARK
					DELAY TIME	OPERATION TIME	CURRENT	
0.5 TON	1.2KW x 8P	4.6 A	1 DRIVE	SS-30	3 SEC	1 SEC	4.6 A	
	1.5KW x 6P	5.4 A	1 DRIVE	SS-30	3 SEC	1 SEC	5.4 A	
	2.4KW x 4P	5.6 A	1 DRAVE	SS-30	3 SEC	1 SEC	5.6 A	
1 TON	1.2KW x 8P	4.6 A	1 DRIVE	SS-30	3 SEC	1 SEC	4.6 A	
	1.5KW x 6P	5.4 A	1 DRIVE	SS-30	3 SEC	1 SEC	5.4 A	
	2.4KW x 4P	5.6 A	1 DRAVE	SS-30	3 SEC	1 SEC	5.6 A	
2 TON	1.8KW x 8P	6.4 A	1 DRIVE	SS-30	3 SEC	1 SEC	6.4 A	
	2.5KW x 6P	7.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	7.0 A	
	3.7KW x 4P	9.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	9.3 A	
2.8 TON	2.5KW x 8P	10.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.3 A	
	5.0KW x 4P	12.2 A	1 DRAVE	SS-30	3 SEC	1 SEC	12.2 A	
	2.8KW x 8P	10.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.3 A	
3 TON	5.5KW x 4P	12.2 A	1 DRAVE	SS-30	3 SEC	1 SEC	12.2 A	
	4.2KW x 8P	13.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	13.3 A	
	5.5KW x 6P	16.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	16.3 A	
5 TON	8.5KW x 4P	19.9 A	1 DRAVE	SS-30	3 SEC	1 SEC	19.9 A	
	4.2KW x 8P	13.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	13.3 A	
	5.5KW x 6P	16.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	16.3 A	
7.5 TON	8.5KW x 4P	19.9 A	1 DRAVE	SS-30	3 SEC	1 SEC	19.9 A	
	4.2KW x 8P	13.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	13.3 A	
	5.5KW x 6P	16.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	16.3 A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02


E.O.C.R 권고 SETTING치

* POWER SOURCE : AC 3 Ø 440V 60Hz

HOIST	MOTOR 용량	MOTOR 정격 전류	DRIVE TYPE	E.O.C.R TYPE	권고 SETTING 치			REMARK
					DELAY TIME	OPERATION TIME	CURRENT	
0.5 TON	1.2KW x 8P	4.0 A	1 DRIVE	SS-06	3 SEC	1 SEC	4.0 A	
	1.5KW x 6P	3.8 A	1 DRIVE	SS-06	3 SEC	1 SEC	3.8 A	
	2.4KW x 4P	5.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	5.0 A	
1 TON	1.2KW x 8P	4.0 A	1 DRIVE	SS-06	3 SEC	1 SEC	4.0 A	
	1.5KW x 6P	3.8 A	1 DRIVE	SS-06	3 SEC	1 SEC	3.8 A	
	2.4KW x 4P	5.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	5.0 A	
2 TON	1.8KW x 8P	5.5 A	1 DRIVE	SS-30	3 SEC	1 SEC	5.5 A	
	2.5KW x 6P	5.8 A	1 DRAVE	SS-30	3 SEC	1 SEC	5.8 A	
	3.7KW x 4P	8.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	8.0 A	
2.8 TON	2.5KW x 8P	8.9 A	1 DRIVE	SS-30	3 SEC	1 SEC	8.9 A	
	5.0KW x 4P	10.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.5 A	
	2.8KW x 8P	8.9 A	1 DRAVE	SS-30	3 SEC	1 SEC	8.9 A	
3 TON	5.5KW x 4P	10.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.5 A	
	4.2KW x 8P	11.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	11.5 A	
	5.5KW x 6P	14.1 A	1 DRAVE	SS-30	3 SEC	1 SEC	14.1 A	
5 TON	8.5KW x 4P	16.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	16.5 A	
	4.2KW x 8P	11.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	11.5 A	
	5.5KW x 6P	14.1 A	1 DRAVE	SS-30	3 SEC	1 SEC	14.1 A	
7.5 TON	8.5KW x 4P	16.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	16.5 A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY


E.O.C.R 권고 SETTING치

* POWER SOURCE : AC 3Φ 460V 60Hz

HOIST	MOTOR 용량	MOTOR 정격 전류	DRIVE TYPE	E.O.C.R TYPE	권고 SETTING 치			REMARK
					DELAY TIME	OPERATION TIME	CURRENT	
0.5 TON	1.2KW x 8P	3.8 A	1 DRIVE	SS-06	3 SEC	1 SEC	3.8 A	
	1.5KW x 6P	3.6 A	1 DRIVE	SS-06	3 SEC	1 SEC	3.6 A	
	2.4KW x 4P	4.8 A	1 DRAVE	SS-06	3 SEC	1 SEC	4.8 A	
1 TON	1.8KW x 8P	5.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	5.3 A	
	2.5KW x 6P	5.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	5.8 A	
	3.7KW x 4P	7.7 A	1 DRAVE	SS-30	3 SEC	1 SEC	7.7 A	
2 TON	1.8KW x 8P	5.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	5.3 A	
	2.5KW x 6P	5.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	5.8 A	
	3.7KW x 4P	7.7 A	1 DRAVE	SS-30	3 SEC	1 SEC	7.7 A	
2.8 TON	2.5KW x 8P	7.7 A	1 DRAVE	SS-30	3 SEC	1 SEC	7.7 A	
	5.0KW x 4P	10.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.0 A	
	2.8KW x 8P	7.7 A	1 DRAVE	SS-30	3 SEC	1 SEC	7.7 A	
3 TON	5.5KW x 4P	10.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.0 A	
	4.2KW x 8P	11.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	11.0 A	
	5.5KW x 6P	13.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	13.5 A	
5 TON	8.5KW x 4P	16.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	16.5 A	
	4.2KW x 8P	11.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	11.0 A	
	5.5KW x 6P	13.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	13.5 A	
7.5 TON	8.5KW x 4P	16.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	16.5 A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY


E.O.C.R 권고 SETTING치

* POWER SOURCE : AC 3Φ 480V 60Hz

HOIST	MOTOR 용량	MOTOR 정격 전류	DRIVE TYPE	E.O.C.R TYPE	권고 SETTING 치			REMARK
					DELAY TIME	OPERATION TIME	CURRENT	
0.5 TON	1.2KW x 8P	3.6 A	1 DRIVE	SS-06	3 SEC	1 SEC	3.6 A	
	1.5KW x 6P	3.5 A	1 DRIVE	SS-06	3 SEC	1 SEC	3.5 A	
	2.4KW x 4P	4.6 A	1 DRAVE	SS-06	3 SEC	1 SEC	4.6 A	
1 TON	1.2KW x 8P	3.6 A	1 DRIVE	SS-06	3 SEC	1 SEC	3.6 A	
	1.5KW x 6P	3.5 A	1 DRIVE	SS-06	3 SEC	1 SEC	3.5 A	
	2.4KW x 4P	4.6 A	1 DRAVE	SS-06	3 SEC	1 SEC	4.6 A	
2 TON	1.8KW x 8P	5.1 A	1 DRIVE	SS-30	3 SEC	1 SEC	5.1 A	
	2.5KW x 6P	5.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	5.3 A	
	3.7KW x 4P	7.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	7.3 A	
2.8 TON	2.5KW x 8P	7.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	7.3 A	
	5.0KW x 4P	9.6 A	1 DRAVE	SS-30	3 SEC	1 SEC	9.6 A	
	2.8KW x 8P	7.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	7.3 A	
3 TON	5.5KW x 4P	9.6 A	1 DRAVE	SS-30	3 SEC	1 SEC	9.6 A	
	4.2KW x 8P	10.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.5 A	
	5.5KW x 6P	12.9 A	1 DRAVE	SS-30	3 SEC	1 SEC	12.9 A	
5 TON	8.5KW x 4P	15.8 A	1 DRAVE	SS-30	3 SEC	1 SEC	15.8 A	
	4.2KW x 8P	10.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.5 A	
	5.5KW x 6P	12.9 A	1 DRAVE	SS-30	3 SEC	1 SEC	12.9 A	
7.5 TON	8.5KW x 4P	15.8 A	1 DRAVE	SS-30	3 SEC	1 SEC	15.8 A	
	4.2KW x 8P	10.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.5 A	
	5.5KW x 6P	12.9 A	1 DRAVE	SS-30	3 SEC	1 SEC	12.9 A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

LOAD LIMITER 권고 SETTING치

* POWER SOURCE : AC 3Φ 220V 60Hz

극동호이스트(주)

HOIST	MOTOR 용량	LOAD LIMITER 권고 SETTING치			LOAD CURRENT		C.T MODEL	연결단자 NO	C.T 용량	REMARK
		LOAD CURRENT	ADJ	SHOCK TIME	100%	110%				
C1 TON	2.4KW x 4P	110%	1 SEC	1 SEC	10 A	11.2 A	CT-2	K-K1, L-L1	5 V.A	
	0.4KW x 4P	110%	1 SEC	1 SEC	2.7 A	3.1 A	CT-1	K-K1, L-L1	5 V.A	
C2 TON	3.7KW x 4P	110%	1 SEC	1 SEC	16.0 A	17.4 A	CT-2	K-K1, L-L1	5 V.A	
	0.4KW x 4P	110%	1 SEC	1 SEC	2.7 A	3.1 A	CT-1	K-K1, L-L1	5 V.A	
C2.8 TON	5.0KW x 4P	110%	1 SEC	1 SEC	22.8 A	24.2 A	CT-2	K-K1, L-L1	5 V.A	
	1.5KW x 4P	110%	1 SEC	1 SEC	7.3 A	8.3 A	CT-1	K-K1, L-L1	5 V.A	
C3 TON	5.5KW x 4P	110%	1 SEC	1 SEC	22.8 A	24.3 A	CT-2	K-K1, L-L1	5 V.A	
	1.5KW x 4P	110%	1 SEC	1 SEC	7.3 A	8.3 A	CT-1	K-K1, L-L1	5 V.A	
C5 TON	5.5KW x 6P	110%	1 SEC	1 SEC	28.2 A	30.1 A	CT-2	K-K1, L-L1	5 V.A	
	1.0KW x 6P	110%	1 SEC	1 SEC	6.7 A	8.1 A	CT-1	K-K1, L-L1	5 V.A	
C7.5 TON	5.5KW x 6P	110%	1 SEC	1 SEC	28.2 A	30.1 A	CT-2	K-K1, L-L1	5 V.A	
	1.0KW x 6P	110%	1 SEC	1 SEC	6.7 A	8.1 A	CT-1	K-K1, L-L1	5 V.A	
C10 TON	9.0KW x 8P	110%	1 SEC	1 SEC	45.0 A	49.1 A	CT-2	K-K1, L-L1	5 V.A	
	1.1KW x 8P	110%	1 SEC	1 SEC	8.0 A	9.6 A	CT-2	K-K1, L-L1	5 V.A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

LOAD LIMITER 권고 SETTING치

* POWER SOURCE : AC 3Φ 380V 60Hz

HOIST	MOTOR 용량	LOAD LIMITER 권고 SETTING치			LOAD CURRENT		C.T MODEL	연결단자 NO	C.T 용량	REMARK
		LOAD CURRENT	ADJ START TIME	SHOCK TIME	100%	110%				
C1 TON	2.4KW x 4P	110%	1 SEC	1 SEC	5.8 A	6.3 A	CT-2	K-K1, L-L1	5 V.A	
	0.4KW x 4P	110%	1 SEC	1 SEC	1.6 A	2.1 A	CT-1	K-K1, L-L1	5 V.A	
C2 TON	3.7KW x 4P	110%	1 SEC	1 SEC	9.3 A	11.3 A	CT-2	K-K1, L-L1	5 V.A	
	0.4KW x 4P	110%	1 SEC	1 SEC	1.6 A	2.1 A	CT-1	K-K1, L-L1	5 V.A	
C2.8 TON	5.0KW x 4P	110%	1 SEC	1 SEC	12.2 A	13.6 A	CT-2	K-K1, L-L1	5 V.A	
	1.5KW x 4P	110%	1 SEC	1 SEC	4.2 A	5.4 A	CT-1	K-K1, L-L1	5 V.A	
C3 TON	5.5KW x 4P	110%	1 SEC	1 SEC	12.2 A	13.6 A	CT-2	K-K1, L-L1	5 V.A	
	1.5KW x 4P	110%	1 SEC	1 SEC	4.2 A	5.4 A	CT-1	K-K1, L-L1	5 V.A	
C5 TON	5.5KW x 6P	110%	1 SEC	1 SEC	16.3 A	17.8 A	CT-2	K-K1, L-L1	5 V.A	
	1.0KW x 6P	110%	1 SEC	1 SEC	3.9 A	5.3 A	CT-1	K-K1, L-L1	5 V.A	
C7.5 TON	5.5KW x 6P	110%	1 SEC	1 SEC	16.3 A	17.8 A	CT-2	K-K1, L-L1	5 V.A	
	1.0KW x 6P	110%	1 SEC	1 SEC	3.9 A	5.3 A	CT-1	K-K1, L-L1	5 V.A	
C10 TON	9.0KW x 8P	110%	1 SEC	1 SEC	26.0 A	28.6 A	CT-2	K-K1, L-L1	5 V.A	
	1.1KW x 8P	110%	1 SEC	1 SEC	4.6 A	6.1 A	CT-2	K-K1, L-L1	5 V.A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

LOAD LIMITER 권고 SETTING치

* POWER SOURCE : AC 3Φ 440V 60Hz

HOIST	MOTOR 용량	LOAD LIMITER 권고 SETTING치			LOAD CURRENT		C.T MODEL	연결단자 NO	C.T 용량	REMARK
		LOAD: CURRENT	ADJ START TIME	SHOCK TIME	100%	110%				
C1 TON	2.4KW x 4P	110%	1 SEC	1 SEC	5.0 A	7.3 A	CT-2	K-K1, L-L1	5 V.A	
	0.4KW x 4P	110%	1 SEC	1 SEC	1.4 A	1.8 A	CT-1	K-K1, L-L1	5 V.A	
C2 TON	3.7KW x 4P	110%	1 SEC	1 SEC	8.0 A	10.8 A	CT-2	K-K1, L-L1	5 V.A	
	0.4KW x 4P	110%	1 SEC	1 SEC	1.4 A	1.8 A	CT-1	K-K1, L-L1	5 V.A	
C2.8 TON	5.0KW x 4P	110%	1 SEC	1 SEC	10.5 A	13.7 A	CT-2	K-K1, L-L1	5 V.A	
	1.5KW x 4P	110%	1 SEC	1 SEC	3.7 A	4.3 A	CT-1	K-K1, L-L1	5 V.A	
C3 TON	5.5KW x 4P	110%	1 SEC	1 SEC	10.5 A	13.7 A	CT-2	K-K1, L-L1	5 V.A	
	1.5KW x 4P	110%	1 SEC	1 SEC	3.7 A	4.3 A	CT-1	K-K1, L-L1	5 V.A	
C5 TON	5.5KW x 6P	110%	1 SEC	1 SEC	14.1 A	18.5 A	CT-2	K-K1, L-L1	5 V.A	
	1.0KW x 6P	110%	1 SEC	1 SEC	3.3 A	4.7 A	CT-1	K-K1, L-L1	5 V.A	
C7.5 TON	5.5KW x 6P	110%	1 SEC	1 SEC	14.1 A	18.5 A	CT-2	K-K1, L-L1	5 V.A	
	1.0KW x 6P	110%	1 SEC	1 SEC	3.3 A	4.7 A	CT-1	K-K1, L-L1	5 V.A	
C10 TON	9.0KW x 8P	110%	1 SEC	1 SEC	22.5 A	24.8 A	CT-2	K-K1, L-L1	5 V.A	
	1.1KW x 8P	110%	1 SEC	1 SEC	4.0 A	5.4 A	CT-1	K-K1, L-L1	5 V.A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

LOAD LIMITER 권고 SETTING치

* POWER SOURCE : AC 3Φ 460V 60HZ

HOIST	MOTOR 용량	LOAD LIMITER 권고 SETTING치			LOAD CURRENT		C.T MODEL	연결단자 NO	C.T 용량	REMARK
		LOAD CURRENT	ADJ START TIME	SHOCK TIME	100%	110%				
C1 TON	2.4KW x 4P	110%	1 SEC	1 SEC	4.8 A	5.2 A	CT-2	K-K1, L-L1	5 V.A	
	0.4KW x 4P	110%	1 SEC	1 SEC	1.3 A	1.5 A	CT-1	K-K1, L-L1	5 V.A	
C2 TON	3.7KW x 4P	110%	1 SEC	1 SEC	7.7 A	8.5 A	CT-2	K-K1, L-L1	5 V.A	
	0.4KW x 4P	110%	1 SEC	1 SEC	1.3 A	1.5 A	CT-1	K-K1, L-L1	5 V.A	
C2.8 TON	5.0KW x 4P	110%	1 SEC	1 SEC	10.0 A	11.5 A	CT-2	K-K1, L-L1	5 V.A	
	1.5KW x 4P	110%	1 SEC	1 SEC	3.5 A	4.3 A	CT-1	K-K1, L-L1	5 V.A	
C3 TON	5.5KW x 4P	110%	1 SEC	1 SEC	10.0 A	11.5 A	CT-2	K-K1, L-L1	5 V.A	
	1.5KW x 4P	110%	1 SEC	1 SEC	3.5 A	4.3 A	CT-1	K-K1, L-L1	5 V.A	
C5 TON	5.5KW x 6P	110%	1 SEC	1 SEC	13.5 A	14.7 A	CT-2	K-K1, L-L1	5 V.A	
	1.0KW x 6P	110%	1 SEC	1 SEC	3.2 A	3.6 A	CT-1	K-K1, L-L1	5 V.A	
C7.5 TON	5.5KW x 6P	110%	1 SEC	1 SEC	13.5 A	14.7 A	CT-2	K-K1, L-L1	5 V.A	
	1.0KW x 6P	110%	1 SEC	1 SEC	3.2 A	3.6 A	CT-1	K-K1, L-L1	5 V.A	
C10 TON	9.0KW x 8P	110%	1 SEC	1 SEC	21.5 A	23.7 A	CT-2	K-K1, L-L1	5 V.A	
	1.1KW x 8P	110%	1 SEC	1 SEC	4.0 A	5.4 A	CT-1	K-K1, L-L1	5 V.A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

LOAD LIMITER 권고 SETTING치

* POWER SOURCE : AC 3Φ 480V 60Hz

HOIST	MOTOR 용량	LOAD LIMITER 권고 SETTING치			LOAD CURRENT		C.T MODEL	연결단자 NO	C.T 용량	REMARK
		LOAD CURRENT	ADJ START TIME	SHOCK TIME	100%	110%				
C1 TON	2.4KW x 4P	110%	1 SEC	1 SEC	4.6 A	5.0 A	CT-2	K-K1, L-L1	5 V.A	
	0.4KW x 4P	110%	1 SEC	1 SEC	1.2 A	1.35 A	CT-1	K-K1, L-L1	5 V.A	
C2 TON	3.7KW x 4P	110%	1 SEC	1 SEC	7.3 A	8.2 A	CT-2	K-K1, L-L1	5 V.A	
	0.4KW x 4P	110%	1 SEC	1 SEC	1.2 A	1.35 A	CT-1	K-K1, L-L1	5 V.A	
C2.8 TON	5.0KW x 4P	110%	1 SEC	1 SEC	9.6 A	11.2 A	CT-2	K-K1, L-L1	5 V.A	
	1.5KW x 4P	110%	1 SEC	1 SEC	3.4 A	4.3 A	CT-1	K-K1, L-L1	5 V.A	
C3 TON	5.5KW x 4P	110%	1 SEC	1 SEC	9.6 A	11.2 A	CT-2	K-K1, L-L1	5 V.A	
	1.5KW x 4P	110%	1 SEC	1 SEC	3.4 A	4.3 A	CT-1	K-K1, L-L1	5 V.A	
C5 TON	5.5KW x 6P	110%	1 SEC	1 SEC	12.9 A	14.2 A	CT-2	K-K1, L-L1	5 V.A	
	1.0KW x 6P	110%	1 SEC	1 SEC	3.1 A	3.5 A	CT-1	K-K1, L-L1	5 V.A	
C7.5 TON	5.5KW x 6P	110%	1 SEC	1 SEC	12.9 A	14.2 A	CT-2	K-K1, L-L1	5 V.A	
	1.0KW x 6P	110%	1 SEC	1 SEC	3.1 A	3.5 A	CT-1	K-K1, L-L1	5 V.A	
C10 TON	9.0KW x 8P	110%	1 SEC	1 SEC	20.6 A	22.7 A	CT-2	K-K1, L-L1	5 V.A	
	1.1KW x 8P	110%	1 SEC	1 SEC	4.0 A	5.4 A	CT-1	K-K1, L-L1	5 V.A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

E.O.C.R 권고 SETTING치

* POWER SOURCE : AC 3 ̸ 220V 60Hz

극동호이스트(주)

HOIST	MOTOR 용량	MOTOR 정격 전류	DRIVE TYPE	E.O.C.R TYPE	권고 SETTING 치			REMARK
					DELAY TIME	OPERATION TIME	CURRENT	
C1 TON	2.4KW x 4P	10.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.0 A	
	0.4KW x 4P	2.7 A	1 DRAVE	SS-05	3 SEC	1 SEC	2.7 A	
C2 TON	3.7KW x 4P	16.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	16.0 A	
	0.4KW x 4P	2.7 A	1 DRAVE	SS-05	3 SEC	1 SEC	2.7 A	
C2.8 TON	5.0KW x 4P	22.8 A	1 DRAVE	SS-30	3 SEC	1 SEC	22.8 A	
	1.5KW x 4P	7.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	7.3 A	
C3 TON	5.5KW x 4P	22.8 A	1 DRAVE	SS-30	3 SEC	1 SEC	22.8 A	
	1.5KW x 4P	7.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	7.3 A	
C5 TON	5.5KW x 6P	28.2 A	1 DRAVE	SS-30	3 SEC	1 SEC	28.2 A	
	1.0KW x 6P	6.7 A	1 DRAVE	SS-30	3 SEC	1 SEC	6.7 A	
C7.5 TON	5.5KW x 6P	28.2 A	1 DRAVE	SS-30	3 SEC	1 SEC	28.2 A	
	1.0KW x 6P	6.7 A	1 DRAVE	SS-30	3 SEC	1 SEC	6.7 A	
C10 TON	9.0KW x 8P	45.0 A	1 DRAVE	SS-60	3 SEC	1 SEC	45.0 A	
	1.1KW x 8P	8.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	8.0 A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

E.O.C.R 권고 SETTING치

* POWER SOURCE : AC 3Φ 380V 60Hz

극동호이스트(주)

HOIST	MOTOR 용량	정격 전류	DRIVE TYPE	E.O.C.R TYPE	권고 SETTING 치			REMARK
					DELAY TIME	OPERATION TIME	CURRENT	
C1 TON	2.4KW x 4P	5.8 A	1 DRAVE	SS-30	3 SEC	1 SEC	5.8 A	
	0.4KW x 4P	1.6 A	1 DRAVE	SS-05	3 SEC	1 SEC	1.6 A%	
C2 TON	3.7KW x 4P	9.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	9.3 A	
	0.4KW x 4P	1.6 A	1 DRAVE	SS-05	3 SEC	1 SEC	1.6 A	
C2.8 TON	5.0KW x 4P	12.2 A	1 DRAVE	SS-30	3 SEC	1 SEC	12.2 A	
	1.5KW x 4P	4.2 A	1 DRAVE	SS-05	3 SEC	1 SEC	4.2 A	
C3 TON	5.5KW x 4P	12.2 A	1 DRAVE	SS-30	3 SEC	1 SEC	12.2 A	
	1.5KW x 4P	4.2 A	1 DRAVE	SS-05	3 SEC	1 SEC	4.2 A	
C5 TON	5.5KW x 6P	16.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	16.3 A	
	1.0KW x 6P	3.9 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.9 A	
C7.5 TON	5.5KW x 6P	16.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	16.3 A	
	1.0KW x 6P	3.9 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.9 A	
C10 TON	9.0KW x 8P	26.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	26.0 A	
	1.1KW x 8P	4.6 A	1 DRAVE	SS-05	3 SEC	1 SEC	4.6 A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

E.O.C.R 권고 SETTING치

* POWER SOURCE : AC 3Φ 440V 60Hz

HOIST	MOTOR 용량	MOTOR 정격 전류	DRIVE TYPE	E.O.C.R TYPE	권고 SETTING 치			REMARK
					DELAY TIME	OPERATION TIME	CURRENT	
C1 TON	2.4KW x 4P	5.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	5.0 A	
	0.4KW x 4P	1.4 A	1 DRAVE	SS-05	3 SEC	1 SEC	1.4 A	
C2 TON	3.7KW x 4P	8.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	8.0 A	
	0.4KW x 4P	1.4 A	1 DRAVE	SS-05	3 SEC	1 SEC	1.4 A	
C2.8 TON	5.0KW x 4P	10.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.5 A	
	1.5KW x 4P	3.7 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.7 A	
C3 TON	5.5KW x 4P	10.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.5 A	
	1.5KW x 4P	3.7 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.7 A	
C5 TON	5.5KW x 6P	14.1 A	1 DRAVE	SS-30	3 SEC	1 SEC	14.1 A	
	1.0KW x 6P	3.3 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.3 A	
C7.5 TON	5.5KW x 6P	14.1 A	1 DRAVE	SS-30	3 SEC	1 SEC	14.1 A	
	1.0KW x 6P	3.3 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.3 A	
C10 TON	9.0KW x 8P	22.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	22.5 A	
	1.1KW x 8P	4.0 A	1 DRAVE	SS-05	3 SEC	1 SEC	4.0 A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

E.O.C.R 권고 SETTING치

* POWER SOURCE : AC 3Φ 460V 60Hz

극동호이스트(주)

HOIST	MOTOR 용량	MOTOR 정격 전류	DRIVE TYPE	E.O.C.R TYPE	권고 SETTING 치			REMARK
					DELAY TIME	OPERATION TIME	CURRENT	
C1 TON	2.4KW x 4P	4.8 A	1 DRAVE	SS-30	3 SEC	1 SEC	4.8 A	
	0.4KW x 4P	1.4 A	1 DRAVE	SS-05	3 SEC	1 SEC	1.4 A	
C2 TON	3.7KW x 4P	7.7 A	1 DRAVE	SS-30	3 SEC	1 SEC	7.7 A	
	0.4KW x 4P	1.4 A	1 DRAVE	SS-05	3 SEC	1 SEC	1.4 A	
C2.8 TON	5.0KW x 4P	10.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.0 A	
	1.5KW x 4P	3.5 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.5 A	
C3 TON	5.5KW x 4P	10.0 A	1 DRAVE	SS-30	3 SEC	1 SEC	10.0 A	
	1.5KW x 4P	3.5 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.5 A	
C5 TON	5.5KW x 6P	13.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	13.5 A	
	1.0KW x 6P	3.2 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.2 A	
C7.5 TON	5.5KW x 6P	13.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	13.5 A	
	1.0KW x 6P	3.2 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.2 A	
C10 TON	9.0KW x 8P	21.5 A	1 DRAVE	SS-30	3 SEC	1 SEC	21.5 A	
	1.1KW x 8P	4.0 A	1 DRAVE	SS-05	3 SEC	1 SEC	4.0 A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

E.O.C.R 권고 SETTING치

* POWER SOURCE : AC 3Φ 480V 60Hz

HOIST	MOTOR 용량	MOTOR 정격 전류	DRIVE TYPE	E.O.C.R TYPE	권고 SETTING 치			REMARK
					DELAY TIME	OPERATION TIME	CURRENT	
C1 TON	2.4KW x 4P	4.6 A	1 DRAVE	SS-30	3 SEC	1 SEC	4.6 A	
	0.4KW x 4P	1.4 A	1 DRAVE	SS-05	3 SEC	1 SEC	1.4 A	
C2 TON	3.7KW x 4P	7.3 A	1 DRAVE	SS-30	3 SEC	1 SEC	7.3 A	
	0.4KW x 4P	1.4 A	1 DRAVE	SS-05	3 SEC	1 SEC	1.4 A	
C2.8 TON	5.0KW x 4P	9.6 A	1 DRAVE	SS-30	3 SEC	1 SEC	9.6 A	
	1.5KW x 4P	3.4 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.4 A	
C3 TON	5.5KW x 4P	9.6 A	1 DRAVE	SS-30	3 SEC	1 SEC	9.6 A	
	1.5KW x 4P	3.4 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.4 A	
C5 TON	5.5KW x 6P	12.9 A	1 DRAVE	SS-30	3 SEC	1 SEC	12.9 A	
	1.0KW x 6P	3.1 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.1 A	
C7.5 TON	5.5KW x 6P	12.9 A	1 DRAVE	SS-30	3 SEC	1 SEC	12.9 A	
	1.0KW x 6P	3.1 A	1 DRAVE	SS-05	3 SEC	1 SEC	3.1 A	
C10 TON	9.0KW x 8P	20.6 A	1 DRAVE	SS-30	3 SEC	1 SEC	20.6 A	
	1.1KW x 8P	4.0 A	1 DRAVE	SS-05	3 SEC	1 SEC	4.0 A	

NOTE

1. 상기 TABLE의 수치는 권고 SETTING 수치이며 MOTOR의 특성 및 현장 조건에 따라 변경 가능함.

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	132 S
4. RATED POWER	5.0 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	220 V 60 Hz
6. MOTOR TYPE	SQUIREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1750 RPM
11. FULL LOAD CURRENT	28.8 A
12. LOCKED ROTOR CURRENT	136.6 A
13. MINIMUM STARTING VOLTAGE	200 V
14. EFFICIENCY AT 100% RATED LOAD	81.5 %
15. POWER FACTOR AT 100% RATED LOAD	77 %
16. FULL LOAD TORQUE	831 KGM
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6206zz OPL : 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	132 S
4. RATED POWER	5.0 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	380 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1750 RPM
11. FULL LOAD CURRENT	12.2 A
12. LOCKER ROTOR CURRENT	72.9 A
13. MINIMUM STARTING VOLTAGE	345 V
14. EFFICIENCY AT 100% RATED LOAD	81.5 %
15. POWER FACTOR AT 100% RATED LOAD	77 %
16. FULL LOAD TORQUE	8.31 KGM
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6206zz OPL : 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	132 S
4. RATED POWER	5.0 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	440 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 °C
10. FULL LOAD SPEED	1750 RPM
11. FULL LOAD CURRENT	10.5 A
12. LOCKER ROTOR CURRENT	63.0 A
13. MINIMUM STARTING VOLTAGE	400 V
14. EFFICIENCY AT 100% RATED LOAD	81.5 %
15. POWER FACTOR AT 100% RATED LOAD	77 %
16. FULL LOAD TORQUE	8.31 KGM
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6206zz OPL : 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	132 S
4. RATED POWER	5.0 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	460 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1750 RPM
11. FULL LOAD CURRENT	10.0 A
12. LOCKER ROTOR CURRENT	60.0 A
13. MINIMUM STARTING VOLTAGE	418 V
14. EFFICIENCY AT 100% RATED LOAD	81.5 %
15. POWER FACTOR AT 100% RATED LOAD	77 %
16. FULL LOAD TORQUE	8.31 KGM
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TEN V
19. TYPE OF BEARING	PL : 6206zz OPL : 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	132 S
4. RATED POWER	5.0 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	480 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1750 RPM
11. FULL LOAD CURRENT	9.6 A
12. LOCKER ROTOR CURRENT	57.5 A
13. MINIMUM STARTING VOLTAGE	436 V
14. EFFICIENCY AT 100% RATED LOAD	81.5 %
15. POWER FACTOR AT 100% RATED LOAD	77 %
16. FULL LOAD TORQUE	8.31 KGM
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6206zz OPL : 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	132 S
4. RATED POWER	2.5 KW x 8 P
5. RATED VOLTAGE AND FREQUENCY	220 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	860 RPM
11. FULL LOAD CURRENT	17.7 A
12. LOCKED ROTOR CURRENT	92.9 A
13. MINIMUM STARTING VOLTAGE	200 V
14. EFFICIENCY AT 100% RATED LOAD	74.5 %
15. POWER FACTOR AT 100% RATED LOAD	55.6 %
16. FULL LOAD TORQUE	8.31 KGM
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6206zz OPL : 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	132 S
4. RATED POWER	2.5 KW x 8 P
5. RATED VOLTAGE AND FREQUENCY	380 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	860 RPM
11. FULL LOAD CURRENT	10.3 A
12. LOCKED ROTOR CURRENT	53.9 A
13. MINIMUM STARTING VOLTAGE	345 V
14. EFFICIENCY AT 100% RATED LOAD	74.5 %
15. POWER FACTOR AT 100% RATED LOAD	55.6 %
16. FULL LOAD TORQUE	8.31 KGM
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6206zz OPL : 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET


SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	132 S
4. RATED POWER	2.5 KW x 8 P
5. RATED VOLTAGE AND FREQUENCY	440 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 °C
10. FULL LOAD SPEED	860 RPM
11. FULL LOAD CURRENT	8.9 A
12. LOCKED ROTOR CURRENT	46.6 A
13. MINIMUM STARTING VOLTAGE	400 V
14. EFFICIENCY AT 100% RATED LOAD	74.5 %
15. POWER FACTOR AT 100% RATED LOAD	55.6 %
16. FULL LOAD TORQUE	8.31 KGM
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6206zz OPL : 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	132 S
4. RATED POWER	2.5 KW x 8 P
5. RATED VOLTAGE AND FREQUENCY	460 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 °C
10. FULL LOAD SPEED	860 RPM
11. FULL LOAD CURRENT	7.7 A
12. LOCKED ROTOR CURRENT	40.2 A
13. MINIMUM STARTING VOLTAGE	418 V
14. EFFICIENCY AT 100% RATED LOAD	74.5 %
15. POWER FACTOR AT 100% RATED LOAD	55.6 %
16. FULL LOAD TORQUE	8.31 KGM
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	PL : 6206zz OPL : 6206zz
19. TYPE OF BEARING	HORIZONTAL
20. MOUNTING	
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE



192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	132 S
4. RATED POWER	2.5 KW x 8 P
5. RATED VOLTAGE AND FREQUENCY	480 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATTING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	860 RPM
11. FULL LOAD CURRENT	7.3 A
12. LOCKED ROTOR CURRENT	38.5 A
13. MINIMUM STARTING VOLTAGE	436 V
14. EFFICIENCY AT 100% RATED LOAD	74.5 %
15. POWER FACTOR AT 100% RATED LOAD	55.6 %
16. FULL LOAD TORQUE	8.31 KGM
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6206zz OPL : 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPIRE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE


192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET


SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 S
4. RATED POWER	0.75 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	220 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATTING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1760 RPM
11. FULL LOAD CURRENT	4.1 A
12. LOCKED ROTOR CURRENT	22.1 A
13. MINIMUM STARTING VOLTAGE	200 V
14. EFFICIENCY AT 100% RATED LOAD	66 %
15. POWER FACTOR AT 100% RATED LOAD	73.5 %
16. FULL LOAD TORQUE	1.02 KGM
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE



192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02




한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 S
4. RATED POWER	0.75 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	380 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATTING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1760 RPM
11. FULL LOAD CURRENT	2.4 A
12. LOCKED ROTOR CURRENT	12.8 A
13. MINIMUM STARTING VOLTAGE	345 V
14. EFFICIENCY AT 100% RATED LOAD	66 %
15. POWER FACTOR AT 100% RATED LOAD	73.5 %
16. FULL LOAD TORQUE	1.02 KG.M
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUEPRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE



192.168.11.38 / 2012-06-27 11:35:02


한국산업안전보건공단
KOSHA KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 S
4. RATED POWER	0.75 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	440 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1760 RPM
11. FULL LOAD CURRENT	2.0 A
12. LOCKED ROTOR CURRENT	11.1 A
13. MINIMUM STARTING VOLTAGE	400 V
14. EFFICIENCY AT 100% RATED LOAD	66 %
15. POWER FACTOR AT 100% RATED LOAD	73.5 %
16. FULL LOAD TORQUE	1.02 K.G.M
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE




192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	국동호이스트 (주)
3. FRAME NUMBER	90 S
4. RATED POWER	0.75 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	460 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATTING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1760 RPM
11. FULL LOAD CURRENT	2.0 A
12. LOCKED ROTOR CURRENT	10.6 A
13. MINIMUM STARTING VOLTAGE	418 V
14. EFFICIENCY AT 100% RATED LOAD	66 %
15. POWER FACTOR AT 100% RATED LOAD	73.5 %
16. FULL LOAD TORQUE	1.02 KGM
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE



192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02


한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 S
4. RATED POWER	0.75 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	480 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1760 RPM
11. FULL LOAD CURRENT	1.9 A
12. LOCKED ROTOR CURRENT	10.2 A
13. MINIMUM STARTING VOLTAGE	436 V
14. EFFICIENCY AT 100% RATED LOAD	66 %
15. POWER FACTOR AT 100% RATED LOAD	73.5 %
16. FULL LOAD TORQUE	1.02 KG.M
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE




192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 S
4. RATED POWER	0.5 KW x 6 P
5. RATED VOLTAGE AND FREQUENCY	220 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1160 RPM
11. FULL LOAD CURRENT	3.4 A
12. LOCKED ROTOR CURRENT	16.4 A
13. MINIMUM STARTING VOLTAGE	200 V
14. EFFICIENCY AT 100% RATED LOAD	64 %
15. POWER FACTOR AT 100% RATED LOAD	59.5 %
16. FULL LOAD TORQUE	0.80 KG.M
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE




192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 S
4. RATED POWER	0.5 KW x 6 P
5. RATED VOLTAGE AND FREQUENCY	380 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1160 RPM
11. FULL LOAD CURRENT	2.0 A
12. LOCKED ROTOR CURRENT	9.5 A
13. MINIMUM STARTING VOLTAGE	345 V
14. EFFICIENCY AT 100% RATED LOAD	64 %
15. POWER FACTOR AT 100% RATED LOAD	59.5 %
16. FULL LOAD TORQUE	0.80 KG.M
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE




192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 S
4. RATED POWER	0.5 KW x 6 P
5. RATED VOLTAGE AND FREQUENCY	440 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATTING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1160 RPM
11. FULL LOAD CURRENT	1.7 A
12. LOCKED ROTOR CURRENT	8.2 A
13. MINIMUM STARTING VOLTAGE	400 V
14. EFFICIENCY AT 100% RATED LOAD	64 %
15. POWER FACTOR AT 100% RATED LOAD	59.5 %
16. FULL LOAD TORQUE	0.80 KG.M
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE




192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 S
4. RATED POWER	0.5 KW x 6 P
5. RATED VOLTAGE AND FREQUENCY	460 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1160 RPM
11. FULL LOAD CURRENT	1.7 A
12. LOCKED ROTOR CURRENT	7.9 A
13. MINIMUM STARTING VOLTAGE	418 V
14. EFFICIENCY AT 100% RATED LOAD	64 %
15. POWER FACTOR AT 100% RATED LOAD	59.5 %
16. FULL LOAD TORQUE	0.80 KG.MS
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE




192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 S
4. RATED POWER	0.5 KW x 6 P
5. RATED VOLTAGE AND FREQUENCY	480 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATTING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 °C
10. FULL LOAD SPEED	1160 RPM
11. FULL LOAD CURRENT	1.6 A
12. LOCKED ROTOR CURRENT	7.5 A
13. MINIMUM STARTING VOLTAGE	436 V
14. EFFICIENCY AT 100% RATED LOAD	64 %
15. POWER FACTOR AT 100% RATED LOAD	59.5 %
16. FULL LOAD TORQUE	0.80 K.G.M
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE




192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 M
4. RATED POWER	0.8/0.4 KW x 4/8 P
5. RATED VOLTAGE AND FREQUENCY	220 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1750 / 850 RPM
11. FULL LOAD CURRENT	4.8/4.25 A
12. LOCKED ROTOR CURRENT	14.2/13.6 A
13. MINIMUM STARTING VOLTAGE	200 V
14. EFFICIENCY AT 100% RATED LOAD	72.8/65.8 %
15. POWER FACTOR AT 100% RATED LOAD	82.3/75 %
16. FULL LOAD TORQUE	0.80 K.G.M
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE




192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 M
4. RATED POWER	0.8/0.4 KW x 4/8 P
5. RATED VOLTAGE AND FREQUENCY	380 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATTING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1750 / 850 RPM
11. FULL LOAD CURRENT	2.78/2.63 A
12. LOCKED ROTOR CURRENT	9.2/6.3 A
13. MINIMUM STARTING VOLTAGE	345 V
14. EFFICIENCY AT 100% RATED LOAD	72.8/65.8 %
15. POWER FACTOR AT 100% RATED LOAD	82.3/75 %
16. FULL LOAD TORQUE	0.80 KG.M
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUERICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE



192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 M
4. RATED POWER	0.8/0.4 KW x 4/8 P
5. RATED VOLTAGE AND FREQUENCY	440 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1750 / 850 RPM
11. FULL LOAD CURRENT	2.4/2.27 A
12. LOCKED ROTOR CURRENT	8.6/6.21 A
13. MINIMUM STARTING VOLTAGE	400 V
14. EFFICIENCY AT 100% RATED LOAD	72.8/65.8 %
15. POWER FACTOR AT 100% RATED LOAD	82.3/75 %
16. FULL LOAD TORQUE	0.80 KG.M
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 M
4. RATED POWER	0.8/0.4 KW x 4/8 P
5. RATED VOLTAGE AND FREQUENCY	460 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1750 / 850 RPM
11. FULL LOAD CURRENT	2.3/2.17 A
12. LOCKED ROTOR CURRENT	8.5/6.18 A
13. MINIMUM STARTING VOLTAGE	418 V
14. EFFICIENCY AT 100% RATED LOAD	72.8/65.8 %
15. POWER FACTOR AT 100% RATED LOAD	82.3/75 %
16. FULL LOAD TORQUE	0.80 KG.M
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

한국산업안전보건공단


KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 M
4. RATED POWER	0.8/0.4 KW x 4/8 P
5. RATED VOLTAGE AND FREQUENCY	480 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1750 / 850 RPM
11. FULL LOAD CURRENT	2.3/2.1 A
12. LOCKED ROTOR CURRENT	8.4/6.15 A
13. MINIMUM STARTING VOLTAGE	436 V
14. EFFICIENCY AT 100% RATED LOAD	72.8/65.8 %
15. POWER FACTOR AT 100% RATED LOAD	82.3/75 %
16. FULL LOAD TORQUE	0.80 K.G.M
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE




192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 L
4. RATED POWER	0.5/0.25 KW x 6/12 P
5. RATED VOLTAGE AND FREQUENCY	220 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1050/460 RPM
11. FULL LOAD CURRENT	3.2/3.6 A
12. STARTING CURRENT AT RATED VOLTAGE	12.8/10.8 A
13. MINIMUM STARTING VOLTAGE	200 V
14. EFFICIENCY AT 100% RATED LOAD	57.5/35 %
15. POWER FACTOR AT 100% RATED LOAD	64.5/50 %
16. STARTING TORQUE	0.757/0.506 KG-M
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE



192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 L
4. RATED POWER	0.5/0.25 KW x 6/12 P
5. RATED VOLTAGE AND FREQUENCY	380 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1050/460 RPM
11. FULL LOAD CURRENT	1.85/2.08 A
12. STARTING CURRENT AT RATED VOLTAGE	7.41/6.25 A
13. MINIMUM STARTING VOLTAGE	345 V
14. EFFICIENCY AT 100% RATED LOAD	57.5/35 %
15. POWER FACTOR AT 100% RATED LOAD	64.5/50 %
16. STARTING TORQUE	0.757/0.506 KGM
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	H O R I Z O N T A L
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	F U L L V O L T A G E

192.168.11.38 / 2012-06-27 11:35:02

한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 L
4. RATED POWER	0.5/0.25 KW x 6/12 P
5. RATED VOLTAGE AND FREQUENCY	440 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1050/460 RPM
11. FULL LOAD CURRENT	1.6/1.8 A
12. STARTING CURRENT AT RATED VOLTAGE	6.4/5.4 A
13. MINIMUM STARTING VOLTAGE	400 V
14. EFFICIENCY AT 100% RATED LOAD	57.5/35 %
15. POWER FACTOR AT 100% RATED LOAD	64.5/50 %
16. STARTING TORQUE	0.757/0.506 KGM
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

한국산업안전보건공단


KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 L
4. RATED POWER	0.5/0.25 KW x 6/12 P
5. RATED VOLTAGE AND FREQUENCY	460 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1050/460 RPM
11. FULL LOAD CURRENT	1.5/1.72 A
12. STARTING CURRENT AT RATED VOLTAGE	6.2/5.3 A
13. MINIMUM STARTING VOLTAGE	418 V
14. EFFICIENCY AT 100% RATED LOAD	57.5/35 %
15. POWER FACTOR AT 100% RATED LOAD	64.5/50 %
16. STARTING TORQUE	0.757/0.506 KG.M
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE



192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	극동호이스트 (주)
3. FRAME NUMBER	90 L
4. RATED POWER	0.5/0.25 KW x 6/12 P
5. RATED VOLTAGE AND FREQUENCY	480 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1050/460 RPM
11. FULL LOAD CURRENT	1.4/1.6 A
12. STARTING CURRENT AT RATED VOLTAGE	5.82/4.93 A
13. MINIMUM STARTING VOLTAGE	436 V
14. EFFICIENCY AT 100% RATED LOAD	57.5/35 %
15. POWER FACTOR AT 100% RATED LOAD	64.5/50 %
16. STARTING TORQUE	0.757/0.506 KG.M
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING HIGH
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	132S
4. RATED POWER	5 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	220 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATTING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR ,OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	22.8 A
11. LOCKED MOTOR CURRENT	136.6 A
12. MINIMUM STARTING VOLTAGE	200 V
13. EFFICIENCY AT 100% RATED LOAD	81.5 %
14. POWER FACTOR AT 100% RATED LOAD	77 %
15. SLIP (FULL LOAD)	5.6 %
16. FULL LOAD TORQUE	8.31 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6206zz OPL 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	70 Kg
24. SERIAL NO	

192.168.11.38 / 2012-06-27 11:35:02

한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING HIGH
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	132S
4. RATED POWER	5 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	380 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR ,OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	12.2 A
11. LOCKED MOTOR CURRENT	72.9 A
12. MINIMUM STARTING VOLTAGE	345 V
13. EFFICIENCY AT 100% RATED LOAD	81.5 %
14. POWER FACTOR AT 100% RATED LOAD	77 %
15. SLIP (FULL LOAD)	5.6 %
16. FULL LOAD TORQUE	8.31 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6206zz OPL 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOU)	70 Kg
24. SERIAL NO	

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING HIGH
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	132S
4. RATED POWER	5 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	440 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	10.5 A
11. LOCKED MOTOR CURRENT	63.0 A
12. MINIMUM STARTING VOLTAGE	400 V
13. EFFICIENCY AT 100% RATED LOAD	81.5 %
14. POWER FACTOR AT 100% RATED LOAD	77 %
15. SLIP (FULL LOAD)	5.6 %
16. FULL LOAD TORQUE	8.31 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6206zz OPL 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTCK NET WEIGHT (ABOUT)	70 kg
24. SERIAL NO	

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING HIGH
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	132S
4. RATED POWER	5 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	460 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR , OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C.
10. FULL LOAD CURRENT	10.0 A
11. LOCKED MOTOR CURRENT	60.0 A
12. MINIMUM STARTING VOLTAGE	418 V
13. EFFICIENCY AT 100% RATED LOAD	81.5 %
14. POWER FACTOR AT 100% RATED LOAD	77 %
15. SLIP (FULL LOAD)	5.6 %
16. FULL LOAD TORQUE	8.31 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6206zz OPL 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	70 Kg
24. SERIAL NO	

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING HIGH
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	132S
4. RATED POWER	5 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	480 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR ,OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	9.6 A
11. LOCKED MOTOR CURRENT	57.5 A
12. MINIMUM STARTING VOLTAGE	436 V
13. EFFICIENCY AT 100% RATED LOAD	81.5 %
14. POWER FACTOR AT 100% RATED LOAD	77 %
15. SLIP (FULL LOAD)	5.6 %
16. FULL LOAD TORQUE	8.31 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6206zz OPL 6206zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	70 Kg
24. SERIAL NO	

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING HIGH
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90L
4. RATED POWER	1.5 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	220 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR ,OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	7.3 A
11. LOCKED MOTOR CURRENT	41.8 A
12. MINIMUM STARTING VOLTAGE	200 V
13. EFFICIENCY AT 100% RATED LOAD	73 %
14. POWER FACTOR AT 100% RATED LOAD	75 %
15. SLIP (FULL LOAD)	6.1 %
16. FULL LOAD TORQUE	1.95 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEICHT (ABOUT	29 Kg
24. SERIAL NO	

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING HIGH
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90L
4. RATED POWER	1.5 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	380 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR , OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	4.2 A
11. LOCKED MOTOR CURRENT	24.2 A
12. MINIMUM STARTING VOLTAGE	345 V
13. EFFICIENCY AT 100% RATED LOAD	73 %
14. POWER FACTOR AT 100% RATED LOAD	75 %
15. SLIP (FULL LOAD)	6.1 %
16. FULL LOAD TORQUE	1.95 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	22 Kg
24. SERIAL NO	

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING HIGH
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90L
4. RATED POWER	1.5 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	440 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR ,OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	3.7 A
11. LOCKED MOTOR CURRENT	20.9 A
12. MINIMUM STARTING VOLTAGE	400 V
13. EFFICIENCY AT 100% RATED LOAD	73 %
14. POWER FACTOR AT 100% RATED LOAD	75 %
15. SLIP (FULL LOAD)	6.1 %
16. FULL LOAD TORQUE	1.95 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	22 Kg
24. SERIAL NO	

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING HIGH
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90L
4. RATED POWER	1.5 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	460 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR ,OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	3.5 A
11. LOCKED MOTOR CURRENT	20.0 A
12. MINIMUM STARTING VOLTAGE	418 V
13. EFFICIENCY AT 100% RATED LOAD	73 %
14. POWER FACTOR AT 100% RATED LOAD	75 %
15. SLIP (FULL LOAD)	6.1 %
16. FULL LOAD TORQUE	1.95 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	29 Kg
24. SERIAL NO	

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	HOISTING HIGH
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90L
4. RATED POWER	1.5 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	480 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR , OUTDOOR, B CLASS
9. DESIGN TEMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	3.4 A
11. LOCKED MOTOR CURRENT	19.2 A
12. MINIMUM STARTING VOLTAGE	436 V
13. EFFICIENCY AT 100% RATED LOAD	73 %
14. POWER FACTOR AT 100% RATED LOAD	75 %
15. SLIP (FULL LOAD)	6.1 %
16. FULL LOAD TORQUE	1.95 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPERATURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	29 Kg
24. SERIAL NO	

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90S
4. RATED POWER	0.75 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	220 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR ,OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	4.1 A
11. LOCKED MOTOR CURRENT	22.1 A
12. MINIMUM STARTING VOLTAGE	200 V
13. EFFICIENCY AT 100% RATED LOAD	66 %
14. POWER FACTOR AT 100% RATED LOAD	73.5 %
15. SLIP (FULL LOAD)	8.3 %
16. FULL LOAD TORQUE	1.02 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	21.35 Kg
24. SERIAL NO	


192.168.11.38 / 2012-06-27 11:35:22

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90S
4. RATED POWER	0.75 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	380 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR , OUTDOOR , B CLASS
9. DESIGN TEMPERATURE RISE (BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	2.4 A
11. LOCKED MOTOR CURRENT	12.8 A
12. MINIMUM STARTING VOLTAGE	345 V
13. EFFICIENCY AT 100% RATED LOAD	66 %
14. POWER FACTOR AT 100% RATED LOAD	73.5 %
15. SLIP (FULL LOAD)	8.3 %
16. FULL LOAD TORQUE	1.02 Kg.m
17. SITE ALTITUDE (UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPERATURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	12 Kg
24. SERIAL NO	

192.168.11.38 / 2012-06-27 12:35:32



한국산업안전보건공단

192.168.11.38 / 2012-06-27 11:35:02

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90S
4. RATED POWER	0.75 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	440 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	2.0 A
11. LOCKED MOTOR CURRENT	11.1 A
12. MINIMUM STARTING VOLTAGE	400 V
13. EFFICIENCY AT 100% RATED LOAD	66 %
14. POWER FACTOR AT 100% RATED LOAD	73.5 %
15. SLIP (FULL LOAD)	8.3 %
16. FULL LOAD TORQUE	1.02 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	21 Kg
24. SERIAL NO	


192.168.11.38 / 2012-06-27 21:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90S
4. RATED POWER	0.75 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	460 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR , OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	2.0 A
11. LOCKED MOTOR CURRENT	10.6 A
12. MINIMUM STARTING VOLTAGE	418 V
13. EFFICIENCY AT 100% RATED LOAD	66 %
14. POWER FACTOR AT 100% RATED LOAD	73.5 %
15. SLIP (FULL LOAD)	8.3 %
16. FULL LOAD TORQUE	1.02 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	21 Kg
24. SERIAL NO	

192.168.11.38 / 2012-06-27 11:35:02



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY


192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90S
4. RATED POWER	0.75 KW x 4 P
5. RATED VOLTAGE AND FREQUENCY	480 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR , OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	1.9 A
11. LOCKED MOTOR CURRENT	10.2 A
12. MINIMUM STARTING VOLTAGE	436 V
13. EFFICIENCY AT 100% RATED LOAD	66 %
14. POWER FACTOR AT 100% RATED LOAD	73.5 %
15. SLIP (FULL LOAD)	8.3 %
16. FULL LOAD TORQUE	1.02 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	21.35 Kg
24. SERIAL NO	

192.168.11.38 / 2012-06-27 21:35:02



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA


1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90S
4. RATED POWER	0.5 KW x 6 P
5. RATED VOLTAGE AND FREQUENCY	220 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR ,OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg C
10. FULL LOAD CURRENT	3.4 A
11. LOCKED MOTOR CURRENT	16.4 A
12. MINIMUM STARTING VOLTAGE	200 V
13. EFFICIENCY AT 100% RATED LOAD	64 %
14. POWER FACTOR AT 100% RATED LOAD	59.5 %
15. SLIP (FULL LOAD)	8.3 %
16. FULL LOAD TORQUE	0.80 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	21.35 Kg
24. SERIAL NO	

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90S
4. RATED POWER	0.5 KW x 6 P
5. RATED VOLTAGE AND FREQUENCY	380 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	2.0 A
11. LOCKED MOTOR CURRENT	9.5 A
12. MINIMUM STARTING VOLTAGE	345 V
13. EFFICIENCY AT 100% RATED LOAD	64 %
14. POWER FACTOR AT 100% RATED LOAD	59.5 %
15. SLIP (FULL LOAD)	8.3 %
16. FULL LOAD TORQUE	0.80 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	21.35 Kg
24. SERIAL NO	

192.168.11.38 / 2012-06-27 11:35:02



한국산업안전보건공단

192.168.11.38 / 2012-06-27 11:35:02


KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90S
4. RATED POWER	0.5 KW x 6 P
5. RATED VOLTAGE AND FREQUENCY	440 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR ,OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	1.7 A
11. LOCKED MOTOR CURRENT	8.2 A
12. MINIMUM STARTING VOLTAGE	400 V
13. EFFICIENCY AT 100% RATED LOAD	64 %
14. POWER FACTOR AT 100% RATED LOAD	59.5 %
15. SLIP (FULL LOAD)	8.3 %
16. FULL LOAD TORQUE	0.80 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	21.35 Kg
24. SERIAL NO	

192.168.11.38 / 2012-06-27 21:35:02



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY


192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90S
4. RATED POWER	0.5 KW x 6 P
5. RATED VOLTAGE AND FREQUENCY	460 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR , OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	1.7 A
11. LOCKED MOTOR CURRENT	7.9 A
12. MINIMUM STARTING VOLTAGE	418 V
13. EFFICIENCY AT 100% RATED LOAD	64 %
14. POWER FACTOR AT 100% RATED LOAD	59.5 %
15. SLIP (FULL LOAD)	8.3 %
16. FULL LOAD TORQUE	0.80 Kg.m
17. SITE ALTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	21.35 Kg
24. SERIAL NO	

192.168.11.38 / 2012-06-27 21:35:02



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY


192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90S
4. RATED POWER	0.5 KW x 6 P
5. RATED VOLTAGE AND FREQUENCY	480 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR , OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 deg °C
10. FULL LOAD CURRENT	1.6 A
11. LOCKED MOTOR CURRENT	7.5 A
12. MINIMUM STARTING VOLTAGE	436 V
13. EFFICIENCY AT 100% RATED LOAD	64 %
14. POWER FACTOR AT 100% RATED LOAD	59.5 %
15. SLIP (FULL LOAD)	8.3 %
16. FULL LOAD TORQUE	0.80 Kg.m
17. SITE ALTTITUDE(UNDER)	1000 m
18. ENCLOSURE & COOLING METHOD	T E N V
19. TYPE OF BEARING	PL 6205zz OPL 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. MOTOR NET WEIGHT (ABOUT)	21 Kg
24. SERIAL NO	

192.168.11.38 / 2012-06-27 11:35:02



한국산업안전보건공단

KOREA OCCUPATIONAL SAFETY & HEALTH AGENCY

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90 M
4. RATED POWER	0.8/0.4 KW x 4/8 P
5. RATED VOLTAGE AND FREQUENCY	220 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATTING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 °C
10. FULL LOAD SPEED	1750 / 850 RPM
11. FULL LOAD CURRENT	4.8/4.25 A
12. LOCKED ROTOR CURRENT	14.2/13.6 A
13. MINIMUM STARTING VOLTAGE	200 V
14. EFFICIENCY AT 100% RATED LOAD	72.8/65.8 %
15. POWER FACTOR AT 100% RATED LOAD	82.3/75 %
16. FULL LOAD TORQUE	0.80 KGM
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90 M
4. RATED POWER	0.8/0.4 KW x 4/8 P
5. RATED VOLTAGE AND FREQUENCY	380 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATTING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1750 / 850 RPM
11. FULL LOAD CURRENT	2.78/2.63 A
12. LOCKED ROTOR CURRENT	9.2/6.3 A
13. MINIMUM STARTING VOLTAGE	345 V
14. EFFICIENCY AT 100% RATED LOAD	72.8/65.8 %
15. POWER FACTOR AT 100% RATED LOAD	82.3/75 %
16. FULL LOAD TORQUE	0.80 KGM
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90 M
4. RATED POWER	0.8/0.4 KW x 4/8 P
5. RATED VOLTAGE AND FREQUENCY	440 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1750 / 850 RPM
11. FULL LOAD CURRENT	2.4/2.27 A
12. LOCKED ROTOR CURRENT	8.6/6.21 A
13. MINIMUM STARTING VOLTAGE	400 V
14. EFFICIENCY AT 100% RATED LOAD	72.8/65.8 %
15. POWER FACTOR AT 100% RATED LOAD	82.3/75 %
16. FULL LOAD TORQUE	0.80 KG.M
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPIRE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90 M
4. RATED POWER	0.8/0.4 KW x 4/8 P
5. RATED VOLTAGE AND FREQUENCY	460 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATTING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 °C
10. FULL LOAD SPEED	1750 / 850 RPM
11. FULL LOAD CURRENT	2.3/2.17 A
12. LOCKED ROTOR CURRENT	8.5/6.18 A
13. MINIMUM STARTING VOLTAGE	418 V
14. EFFICIENCY AT 100% RATED LOAD	72.8/65.8 %
15. POWER FACTOR AT 100% RATED LOAD	82.3/75 %
16. FULL LOAD TORQUE	0.80 KGM
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENY
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 °C
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90 M
4. RATED POWER	0.8/0.4 KW x 4/8 P
5. RATED VOLTAGE AND FREQUENCY	480 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1750 / 850 RPM
11. FULL LOAD CURRENT	2.3/2.1 A
12. LOCKED ROTOR CURRENT	8.4/6.15 A
13. MINIMUM STARTING VOLTAGE	436 V
14. EFFICIENCY AT 100% RATED LOAD	72.8/65.8 %
15. POWER FACTOR AT 100% RATED LOAD	82.3/75 %
16. FULL LOAD TORQUE	0.80 KGM
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90 L
4. RATED POWER	0.5/025 KW x 6/12 P
5. RATED VOLTAGE AND FREQUENCY	220 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATTING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B.CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1050/460 RPM
11. FULL LOAD CURRENT	3.2/3.6 A
12. STARTING CURRENT AT RATED VOLTAGE	12.8/10.8 A
13. MINIMUM STARTING VOLTAGE	200 V
14. EFFICIENCY AT 100% RATED LOAD	57.5/35 %
15. POWER FACTOR AT 100% RATED LOAD	64.5/50 %
16. STARTING TORQUE	0.757/0.506 KG.M
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBRIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90 L
4. RATED POWER	0.5/0.25 KW x 6/12 P
5. RATED VOLTAGE AND FREQUENCY	380 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATTING	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1050/460 RPM
11. FULL LOAD CURRENT	1.85/2.08 A
12. STARTING CURRENT AT RATED VOLTAGE	7.41/6.25 A
13. MINIMUM STARTING VOLTAGE	345 V
14. EFFICIENCY AT 100% RATED LOAD	57.5/35 %
15. POWER FACTOR AT 100% RATED LOAD	64.5/50 %
16. STARTING TORQUE	0.757/0.506 KG.M
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TEN V 전보전공단
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90 L
4. RATED POWER	0.5/0.25 KW x 6/12 P
5. RATED VOLTAGE AND FREQUENCY	440 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1050/460 RPM
11. FULL LOAD CURRENT	1.6/1.8 A
12. STARTING CURRENT AT RATED VOLTAGE	6.4/5.4 A
13. MINIMUM STARTING VOLTAGE	400 V
14. EFFICIENCY AT 100% RATED LOAD	57.5/35 %
15. POWER FACTOR AT 100% RATED LOAD	64.5/50 %
16. STARTING TORQUE	0.757/0.506 K.G.M
17. SITE ALTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TEN V 전보전공단
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE


192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90 L
4. RATED POWER	0.5/025 KW x 6/12 P
5. RATED VOLTAGE AND FREQUENCY	460 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1050/460 RPM
11. FULL LOAD CURRENT	1.5/1.72 A
12. STARTING CURRENT AT RATED VOLTAGE	6.2/5.3 A
13. MINIMUM STARTING VOLTAGE	418 V
14. EFFICIENCY AT 100% RATED LOAD	57.5/35 %
15. POWER FACTOR AT 100% RATED LOAD	64.5/50 %
16. STARTING TORQUE	0.757/0.506 KG.M
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENY
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE



192.168.11.38 / 2012-06-27 11:35:02

THREE PHASE INDUCTION MOTOR DATE SHEET

SCHEDULE OF TECHNICAL DATA

1. SERVICE	TRAVERSING
2. MANUFACTURE	KUK DONG HOIST (주)
3. FRAME NUMBER	90 L
4. RATED POWER	0.5/0.25 KW x 6/12 P
5. RATED VOLTAGE AND FREQUENCY	480 V 60 Hz
6. MOTOR TYPE	SQUIRREL CAGE ROTOR TYPE
7. SERVICE FACTOR AND RATting	1.0 , 30 MIN
8. LOCATION AND INSULATION CLASS	INDOOR, OUTDOOR, B CLASS
9. DESIGN TRMPERATURE RISE(BY RESISTANCE)	80 ℃
10. FULL LOAD SPEED	1050/460 RPM
11. FULL LOAD CURRENT	1.4/1.6 A
12. STARTING CURRENT AT RATED VOLTAGE	5.82/4.93 A
13. MINIMUM STARTING VOLTAGE	436 V
14. EFFICIENCY AT 100% RATED LOAD	57.5/35 %
15. POWER FACTOR AT 100% RATED LOAD	64.5/50 %
16. STARTING TORQUE	0.757/0.506 KG.M
17. SITE ALTTITUDE(UNDER)	1000 M
18. ENCLOSURE & COOLING METHOD	TENV
19. TYPE OF BEARING	PL : 6205zz OPL : 6204zz
20. MOUNTING	HORIZONTAL
21. MAXIMUM AMBIENT TEMPURE	40 ℃
22. BEARING LUBRICATION	GREASE
23. STARTING METHOD	FULL VOLTAGE

192.168.11.38 / 2012-06-27 11:35:02

192.168.11.38 / 2012-06-27 11:35:02



No.600 Chuangye Road, Qingdao Development Zone, Shangdong, P.R.China
Tel : 86-532-86821916, Fax : 86-532-86821949 www.kiswire.com

ISSUE NO. PW9034

DATE Jan. 29, 2010

MILL TEST CERTIFICATE

THIS IS TO CERTIFY THAT THE MATERIAL DESCRIBED BELOW WAS MANUFACTURED
IN ACCORDANCE WITH KISWIRE LTD SPECIFICATION AND APPLICABLE SECTIONS

OF KSD 3514 (B Grade)

TO MESSRS

MATERIAL DESCRIPTION UNGALVANIZED STEEL WIRE ROPE

06 X 37 + FC 1000M X 5 REEL

EX NO. PW9034

T/T NO.

ORDER NO.

REEL NO.

1~5

SAMPLING NO.

1

DIAMETER OF ROPE

12.5 mm

TYPE OF CORE

Fiber Core

SPECIFIED BREAKING LOAD

88.5 kN

SAMPLE BROKE AT

91.7 kN

WT. OF ZINC COATING OF OUTER WIRE

MIN.

g/m²

MAX.

g/m²

ROPE LAY

RHRL

LAY LENGTH

81.9 mm

LUBRICATION

A-2

CHEMICAL ANALYSIS OF WIRE ROD


CHARGE NO.	C×100	Si×100	Mn×100	P×1000	S×1000
050697E	70	23	72	15	5

DATE OF SAMPLE TEST

Jan. 15, 2010

CHIEF INSPECTOR D.S.NA
KISWIRE QINGDAO LTD.

192.168.11.38 / 2012-06-27 11:35:02



한국산업안전보건공단
KOSHA

192.168.11.38 / 2012-06-27 11:35:02

SUB VENDOR LIST

구분	NO	DESCRIPTION	SUB VENDOR	TEL NO.	REMARK
기 계	1	WIRE ROPE	만호 로우프(주)	051-332-3131	
			고려제강 (주)	02-776-4131	
	2	MAGNET CORE	극동호이스트(주)	031-491-5311	
	3	DRUM	극동호이스트(주)	031-491-5311	
	4	GEAR	극동호이스트(주)	031-491-5311	
	5	HOOK ASS'Y	제 일 단 첼	032-527-2817	
			대 흥 단 조	032-561-0541	
	6	MIDDLE SHAFT	극동호이스트(주)	031-491-5311	
	7	RAIL CHANNEL ANGLE	인천제철(주)	032-763-5000	
			강원산업(주)	032-756-8881	
전 기	8	MAG CONTACTOR	L.G 전선 (주)	02-273-4140	전 품
			(주) 대 룡	02-242-4141	한국공업협회
			(주) 대성디에스	055-338-3125	
	9	E.O.C.R	삼화기연 (주)	032-62-1331	K.S
			아산 전기	02-2636-8035	
	10	PUSH BUTTON	한영전기 (주)	02-742-0430	전 품
			(주)케이치오토	02-247-3131	전 품
			반도기계 (주)	031-495-8353-4	전 품
	11	LOAD LIMITER	보 창 기 전	032-431-0150	산 안 검
			반도기계 (주)	031-495-8353-4	산 안 검
			정호 엔지니어링	02-681-0553	산 안 검
	12	SILICON	반도기계 (주)	031-495-8353-4	
			아산 전기	02-2636-8035	
			보 창 기 전	032-431-0150	